


Identification of Important Stink Bugs

Important stink bugs in Arkansas include the brown stink bug, *Euschistus servus*, the green stink bug, *Acrosternum hilare*, the southern green stink bug, *Nezara viridula*, the rice stink bug, *Oebalus pugnax*, and the beneficial spined soldier bug, *Podisus maculiventris*.

Brown Stink Bug (BSB)
 Late instars and adults of BSB.



Green Stink Bug (GSB)
 Early instars (top left), adult of GSB (top right) and late instar (bottom left).




(continued on back)

Southern Green Stink Bug (SGSB)
 Egg mass, immatures and adults of SGSB.



Rice Stink Bug (RSB)
 Adults of RSB



Spined Soldier Bug (SSB)
 Immature SSB feeding on southern armyworm larva (top left), mouthparts of predaceous and plant-feeding stink bugs (top right) and adults of SSB (bottom).

Prepared by: Dr. Jeremy K. Greene, Dr. Donald R. Johnson, Dr. Gus M. Lorenz and Dr. Glenn E. Studebaker, Extension entomologists.

Issued in furtherance of Cooperative Extension work, Acts of May 8 and June 30, 1914, in cooperation with the U.S. Department of Agriculture, Director, Cooperative Extension Service, University of Arkansas. The Arkansas Cooperative Extension Service offers its programs to all eligible persons regardless of race, color, national origin, religion, gender, age, disability, marital or veteran status, or any other legally protected status, and is an Equal Opportunity Employer.