

## RICE SEEDLING DISEASES

Rick Cartwright, Fleet Lee and Craig Rothrock

Disease	Fungicide	Active Ingredient	Rate/cwt Seed	Comments
Pythium diseases	Allegiance FL (formerly Apron)	metalaxyl	0.75 - 1.5 fl oz	Apply with commercial seed-treating equipment.
	Apron XL LS	mefenoxam	0.32 - 0.64 fl oz	Apply with commercial seed-treating equipment. Use higher rates for early planting or other severe disease situations.
Rhizoctonia seedling diseases, general seed rots	RTU-Vitavax-Thiram	carboxin + thiram	6.8 fl oz	Apply with commercial seed-treating equipment or use as a pour-on hopper-box treatment.
	Vitavax 200	carboxin + thiram	4 fl oz	Apply with commercial seed-treating equipment.
	Maxim 4FS	fludioxonil	0.08 - 0.16 fl oz	Apply with commercial seed-treating equipment. Use higher rates for severe disease situations.
Pythium, Rhizoctonia, general seed rots	Vitavax 200 + Allegiance FL (formerly Apron)	carboxin + thiram + metalaxyl	4 fl oz + 0.375 fl oz	Apply with commercial seed-treating equipment.
	Apron XL LS + Maxim 4FS	mefenoxam + fludioxonil	0.32 - 0.64 fl oz + 0.08 - 0.16 fl oz	Apply with commercial seed-treating equipment. Use higher rates for early planting or severe disease situations.
	Dynasty	azoxystrobin	0.153 - 1.53 fl oz	Commercial seed treaters only. Usually sold with Apron XL and Maxim on rice to improve seedling disease control. To reduce seedborne blast, data suggests rates of Dynasty above 0.75 fl oz per cwt. The use of a seed treatment fungicide to minimize seedborne blast does not mean complete control of the disease later in the season and the field should still be scouted for blast disease and managed with deeper flood and foliar fungicides.
	Trilex 2000	trifloxystrobin + metalaxyl	1 - 2 oz/cwt	See label.

This information was current as of October 1, 2009, and applies only to Arkansas and may not be appropriate for other states or locations. The listing of any product in this publication does not imply endorsement of that product or discrimination against any other product by the University of Arkansas Division of Agriculture. *Every effort was made to ensure accuracy, but the user of any crop protection product must read and follow the most current label on the product – The Label is the Law.* For further assistance, contact the local Cooperative Extension Service office.