

Crop Replant and Rotation Guide for Corn and Grain Sorghum Herbicides*

Herbicide	Replant/Crop Rotation	Time Interval	Precautions
2,4-D	All	90 days	90 days or until sufficiently dissipated.
Accent	C W S CT	I 4 months 15 days 10 months	Sweet corn and popcorn - 10 months. All crops not specified - 10 months if pH < 6.5 or 18 months if pH > 6.5. Grain sorghum - 10 months if pH < 7.5 or 18 months if pH > 7.5.
Atrazine	C, GS All	I FY	If applied after June 10, only corn and grain sorghum can be planted the following year.
Axiom	C S W, R, All	I I 12 months	
Basagran	All	I	
Beacon	W A, CT, P, S, SF All	3 months 8 months 18 months	Sweet corn and popcorn - 8 months. Replanting of field corn - 14 days.
Bicep II Magnum Cinch ATZ	C, GS† S, CT SG All	I FY 15 months 18 months	† Use Concep treated seed. If applied after June 10, only corn and grain sorghum can be planted the following year.
Buctril	C, GS SG All	I Fall FY	
Buctril + atrazine	C, GS S CT, FG, FL, R SG All others	I FY Do not plant the year following application.	If applied after June 15, plant only corn or grain sorghum the next year.
Callisto	All SG	12 months 4 months	Do not apply post if soil was treated with Counter or Lorsban.
Clarity	C, G, W All	I 45 days/pt† Following normal harvest of C, G, W, GS	† Wheat planting must be delayed 45 days after application per pint of Banvel used.
Dual II Magnum Cinch	C, S, GS† SG Rice All	I 4.5 months Next spring 18 months	† Use Concep treated seed.
Exceed	C SG S, CT, GS, R All	4 weeks 3 months 10 months 18 months	IMI or IR corn can be planted immediately.
Glyphosate			No restrictions.
Guardman Max	GS, S, CT All	FY Do not plant the year following application.	

Herbicide	Replant/Crop Rotation	Time Interval	Precautions
Gramoxone Inteon			No restrictions.
Ignite 280	CT, C, R, S SG, W All other	I 70 days 180 days	
Outlook	C, S SG All	I 4 months Next spring	
Peak	IR Corn, SG C, GS R, FG, S, CT, P A, SF	I 1 month 10 months 22 months	Do not replant any broadleaf crop if less than 10 inches of rainfall or irrigation has occurred since the application of Peak.
Permit	W S	3 months 10 months	
Prowl	CT, S W, B All	I 120 days† FY	† 90 days after post-incorporated application, cannot plant using no-tillage practices.
Resolve	C W CT, R, GS, S, SF, A All other	I 3 months 10 months 18 months	If at least 15 inches of rainfall has not occurred since application, CT, GS, SF, A rotations are extended to 18 months. Do not replant rice on soils with greater than pH 6.5.
Steadfast	C S W, SG CT GS	I 15 days 4 months 10 months 10-18 months	Rotation restrictions vary by soil pH levels. See label for details.
Steadfast ATZ	W, S, GS, CT sweet-corn, popcorn All other	10 months 18 mos	If Steadfast ATZ is applied after July 1, do not rotate to crops other than corn or sorghum the next year.

*This table applies to the major field and forage crops. Refer to the herbicide labels for the latest recrop and rotation information for horticultural crops. These are written as best we could interpret the labels. We regret any omissions or errors. Always refer to product labels before using a pesticide or replanting into treated fields.

Key

Crop

All = All crops not specified
A = Alfalfa
B = Barley
C = Corn
CT = Cotton
FG = Forage Grasses
FL = Forage Legumes

GS = Grain Sorghum
P = Peanuts
R = Rice
S = Soybeans
SF = Sunflowers
SG = Small Grains
W = Wheat

Timing

I = Immediately
FY = Following year (usually spring)