

WEED RESPONSE RATINGS FOR RICE HERBICIDES

(See Explanation for Ratings Tables on Page 3.)

HERBICIDES	WEEDS																									
	Ammania (red stem)	Barnyardgrass ¹	Broadleaf Signalgrass	Cocklebur	Crabgrass	Dayflower	Ducksalad	Eclipta	Fall Panicum	False Pimpernel	Flatseeds	Gooseweed	Groundcherry	Hemp Sesbania (coffeebean)	Indian Jointvetch	Northern Jointvetch (curly indigo)	Palmleaf Morningglory	Pitted Morningglory	Red Rice	Rice Cutgrass	Smartweed	Spikerush	Sprangletop (loosehead) (bearded sprangletop)	Sprangletop (tighthead) (Amazon)	Water Hyssop	Yellow Nutsedge
Preemergence																										
Bolero delayed pre	7	7	5	4	7	8	7	8	7	8	7	6	-	5	5	5	5	5	0	0	5	7	7	7	7	4
Bolero – Water seeded	3	8	7	0	7	6	6	-	-	5	7	6	-	-	-	-	-	-	8*	0	-	5	8	8	5	3
Command pre/delayed pre	0	9	9	2	9	3	3	3	9	-	0	0	-	2	3	3	4	3	0	0	2	0	9	9	0	0
Facet + Bolero delayed pre	6	9	9	4	9	7	7	9	9	7	8	5	-	8	8	8	8	8	0	0	5	7	8	8	6	0
Facet pre/delayed pre	3	9	9	-	9	5	3	8	9	3	5	3	8	6	7	7	7	7	0	0	0	-	0	0	6	0
Facet + Prowl delayed pre	3	9	9	0	9	5	3	8	9	3	5	3	-	7	7	7	8	8	0	0	0	-	7	7	6	0
Prowl delayed pre	0	8	6	0	8	0	4	0	7	0	0	0	-	0	0	0	0	0	0	0	0	0	6	6	0	0
Early Postemergence																										
Aim	6	0	0	9	0	7	5	7	0	-	0	-	8	9	6	6	10	10	0	0	9	0	0	0	7	0
Basagran early	8	0	0	9	0	9	6	8	0	7	8	7	0	3	3	3	8	3**	0	0	7	8	0	0	8	6
Basagran + propanil early	9	9	9	9	7	9	7	9	9	8	9	7	4	9	9	9	8	5**	0	2	8	9	4	5	9	6
Clincher	0	8	9	0	7	0	0	0	9	0	0	0	0	0	0	0	0	0	0	2	0	0	9	8	0	0
Facet early post	3	9	9	4	7	3	3	9	6	3	5	3	8	8	8	8	8	8	0	2	0	-	0	0	3	0
Facet + propanil early post	6	9	9	5	7	5	6	9	9	7	9	5	8	9	9	9	8	8	0	2	6	9	4	5	8	5
Grandstand + Permit	6	0	0	9	0	8	4	5	0	-	9	-	4	8	9	9	9	9	0	0	7	-	0	0	-	9
Grandstand + propanil early	9	9	9	9	7	5	8	9	9	8	9	8	4	9	9	9	9	9	0	0	7	9	4	5	8	5
Grasp	7	8	0	9	0	8	9	8	0	-	9	-	8	8	8	8	4	5	0	-	7	8	0	0	8	6
Londax early post flood	9	0	0	5	0	8	9	8	0	9	8	9	0	6	6	6	5	5	0	0	6	8	0	0	9	6
NewPath (2 applications in Clearfield system)	8	9	9	9	9	5	7	0	9	0	9	5	9	0	0	0	5	7	9.5	9	9	9	8	7	0	8
Permit	0	0	0	9	0	8	3	0	0	-	8	-	4	9	3	6	3	4	0	0	4	-	0	0	-	9
Propanil + Bolero early	8	9	9***	5	7	8	8	9	9	9	9	6	-	9***	9***	9***	5	5	0	2	6	9	9	9	9	5
Propanil early (weeds less than 2")	6	9	9	5	7	5	7	8	9	7	9	5	-	9	9	9	4	4	0	1	6	9	4	5	8	4
Propanil fb propanil	6	9	9	6	7	6	7	9	9	7	9	5	-	9	9	9	5	5	0	2	8	9	7	8	8	6
Propanil + Londax or Duet prior to flood	9	9	9	8	7	8	7	9	9	8	9	9	0	9	9	9	9	9	0	2	8	9	4	5	8	8
Propanil + Permit	6	9	9	9	7	9	7	8	9	7	9	5	6	10	9	9	4	4	0	1	6	9	4	5	8	9
Propanil + Prowl early	7	9	9	5	7	5	7	9	9	7	9	6	-	9***	9***	9***	5	5	0	1	6	7	9	9	7	5
Regiment	6	8	0	-	0	9	9	7	0	-	8	0	-	8	7	7	4	5	0	7	10	-	3	2	6	5
Ricestar HT	0	9	9	0	8	0	0	0	7	0	0	0	0	0	0	0	0	0	0	2	0	0	9	8	0	0
Strada	8	0	0	-	0	7	6	7	0	-	9	-	4	9	8	9	3	4	0	0	5	-	0	0	-	7
Ultra Blazer + propanil early	6	8	8	5	7	5	7	8	8	7	8	5	8	9	6	9	8	8	0	1	7	8	4	5	8	5
Midseason																										
2,4-D midseason	9	0	0	9	0	9	9	9	0	9	8	6	5	9	5	5	9	9	0	0	6	8	0	0	9	5
2,4-D + propanil midseason for levees	9	6	6	9	2	9	8	9	6	9	8	8	5	9	8	8	8	9	0	0	7	8	6	6	9	6
Grandstand + propanil midseason	9	2	2	9	2	-	6	6	2	8	5	7	3	9	8	9	9	9	0	0	5	8	0	0	8	3
Propanil midseason	4	4	4	2	4	0	3	4	4	4	5	0	4	8	5	5	3	0	0	0	3	7	0	0	8	3
Propanil + Ultra Blazer midseason	5	5	5	6	5	2	4	5	5	5	6	2	5	9	6	6	7	8****	0	0	4	7	0	0	8	4
Ultra Blazer midseason	0	0	0	0	0	0	0	0	0	0	0	0	3	9	0	0	3	3	0	0	0	0	0	0	0	0

*Water seed pin-point flood culture. **8 for palmleaf morningglory ***Postemergence control only. ****Runners less than 1 ft. Rating Scale – 0 = No Control 10 = 100% Control.

¹Some biotypes of barnyardgrass in Arkansas are resistant to Command, propanil, Facet or both (Facet + propanil).