

NAME: _____

CONTESTANT #: _____

Quality Assurance Exercise 2013

- _____ 1. BQA is designed to enhance carcass quality by reducing _____?
- A) Carcass defects B) Injection-site blemishes C) Outliers
D) Residues E) All of the above
- _____ 2. Products labeled for intramuscular administration should be given in the _____?
- A) Rump B) Just past the shoulder C) Neck Region
- _____ 3. Where are you allowed to administer implants?
- A) Ear B) Neck C) Tail head
- _____ 4. The proper method for administering a subcutaneous injection is called _____?
- A) Jab and Peck Method B) Pop In Method C) Tented Method
- _____ 5. Who can prescribe an extra-label use of a drug in livestock?
- A) Pharmacist B) Medical Doctor C) Veterinarian D) All the Above
- _____ 6. The maximum amount of product to give per IM injection site is _____ cc per site.
- A) 10 B) 30 C) 20
- _____ 7. Injection given through the nose, often sprayed into nostrils is called _____?
- A) Oral Medication B) Topical Medication C) Intranasal
- _____ 8. If the calculated dose of an injectable medication is 24 cc, how should the injection be given?
- A) all 24 cc in one site B) two 12 cc doses on opposite sides of the neck
C) three, 8 cc doses all in different places of the neck
- _____ 9. Which of the following will help make handling cattle easier?
- A) solid walls on handling areas B) slatted fences in handling areas
C) a variety of paint colors in handling areas

- _____10. Which of the following would be inappropriate handling of cattle?
- A) slow, quiet movements by cattle handlers B) grouping animals by size or type prior to moving
- C) using electric prods on stubborn cattle
- _____11. Abscess's in meat can be caused by?
- A) bad genetics B) from using a hot shot
- C) the meat inspectors D) injections given incorrectly
- _____12. When giving injections to livestock, the abbreviation IM stands for?
- A) intra molecule B) inter membrane C) intra muscular
- D) none of the above
- _____13. 17. Where are you allowed to administer implants?
- A) Ear B) Neck C) Tail head
- _____14. Keys to improving the value of feeder calves are:
- A) Increase muscle thickness B) Produce calves with moderate to large frame scores
- C) Castrate bull calves D) Keep them healthy E) Dehorn
- F) All of the above
- _____15. What length of time should new animals be quarantined before allowing them to commingle with the herd?
- A) 1 week B) 3 weeks C) 6 weeks D) 8 weeks

Use the attached Label to answer the following questions:

16. What company makes this product? _____
17. Where is this company headquartered? _____
18. What is the Trade name of this product? _____
19. What class of antibiotic is this product? _____
20. Name all species of livestock this product can be used? _____
21. What disease(s) of cattle is this product labeled for? _____

22. What disease(s) of swine is this product labeled for? _____

23. Name the antibiotic you should **not use** with this product. _____

24. Can I use this product on Horses? (Circle Answer)

Yes No

25. Can I use this product on a steer scheduled for shipment to the Packer on Saturday? (Circle Answer)

Yes No