





Plant Health Clinic 2010 Summary Report

The Plant Health Clinic received 2906 plant samples in 2010. Numbers were 22% above the previous year until September, when numbers of samples steeply declined. We believe the decline was due to prolonged drought conditions. The largest number of samples in 2010 was field crops (29%), followed by trees/shrubs (28%), vegetables (14%), fruit/nut (10%), turf (9.5%), perennials (4.5%), weeds (1.6%) and annuals (1%). The remaining 2.4% was divided between forage, unknown, and other. The weed category mostly comprised kudzu samples submitted for Asian soybean rust screening.

Samples by Commodity

| | |
|--------------------------------|------|
| Plant Health Samples submitted | 2906 |
| Annuals | 36 |
| Field Crop | 849 |
| Forage | 7 |
| Fruit/Nut | 278 |
| Other | 17 |
| Perennials | 132 |
| Tree/Shrub | 840 |
| Turf | 282 |
| Unknown | 10 |
| Vegetables | 408 |
| Weed | 47 |

Plant Health Samples by Commodity ALL months/2010 Total: 2906



Samples per District

Plant Health Samples submitted 2906

District

| | |
|--------------|------|
| Out of State | 67 |
| Delta | 1568 |
| Ouachita | 581 |
| Ozark | 690 |

Plant Health Samples Submitted

Plant Health Total 2906

Samples by Month

Plant Health Samples submitted 2906

Month

January

| | |
|--------|---|
| Week 2 | 2 |
| Week 3 | 3 |
| Week 4 | 4 |
| Week 5 | 6 |

February

| | |
|--------|----|
| Week 6 | 5 |
| Week 7 | 11 |
| Week 8 | 1 |
| Week 9 | 6 |

March

| | |
|---------|----|
| Week 10 | 6 |
| Week 11 | 10 |
| Week 12 | 13 |
| Week 13 | 29 |
| Week 14 | 21 |

April

| | |
|---------|----|
| Week 14 | 2 |
| Week 15 | 30 |
| Week 16 | 25 |
| Week 17 | 60 |
| Week 18 | 66 |

May

| | |
|---------|-----|
| Week 19 | 74 |
| Week 20 | 55 |
| Week 21 | 136 |
| Week 22 | 99 |

716

Samples by Month

June

| | |
|---------|-----|
| Week 23 | 120 |
| Week 24 | 150 |
| Week 25 | 148 |
| Week 26 | 164 |
| Week 27 | 134 |

July

| | |
|---------|------------|
| | 691 |
| Week 27 | 95 |
| Week 28 | 116 |
| Week 29 | 162 |
| Week 30 | 138 |
| Week 31 | 180 |

August

| | |
|---------|------------|
| | 478 |
| Week 32 | 146 |
| Week 33 | 73 |
| Week 34 | 158 |
| Week 35 | 51 |
| Week 36 | 50 |

September

| | |
|---------|------------|
| | 196 |
| Week 36 | 33 |
| Week 37 | 51 |
| Week 38 | 39 |
| Week 39 | 41 |
| Week 40 | 32 |

October

| | |
|---------|------------|
| | 100 |
| Week 40 | 8 |
| Week 41 | 35 |
| Week 42 | 27 |
| Week 43 | 15 |
| Week 44 | 15 |

November

| | |
|---------|-----------|
| | 49 |
| Week 45 | 15 |
| Week 46 | 13 |
| Week 47 | 11 |
| Week 48 | 10 |

December

| | |
|---------|-----------|
| | 12 |
| Week 49 | 1 |
| Week 50 | 6 |
| Week 51 | 4 |
| Week 52 | 1 |

Plant Health Total 2906

Samples by Commodity by County

Plant Health Samples submitted 2906

| | |
|-----------------|-----------|
| Arkansas | 62 |
| Field Crop | 61 |
| Rice (5) | |
| Soybean (56) | |
| Other | 1 |
| Perennials | 2 |
| Tree/Shrub | 15 |
| Unknown | 1 |
| Vegetables | 20 |
| Ashley | 14 |
| Field Crop | 10 |
| Soybean (10) | |
| Vegetables | 3 |
| Weed | 1 |
| BAXTER | 85 |
| Fruit/Nut | 19 |
| Other | 1 |
| Perennials | 2 |
| Tree/Shrub | 36 |
| Turf | 16 |
| Vegetables | 11 |
| BOONE | 34 |
| Fruit/Nut | 4 |
| Perennials | 4 |
| Tree/Shrub | 17 |
| Turf | 4 |
| Vegetables | 5 |
| BRADLEY | 5 |
| Fruit/Nut | 1 |
| Tree/Shrub | 1 |
| Vegetables | 3 |
| Chicot | 15 |
| Field Crop | 13 |
| Kudzu (1) | |
| Soybean (12) | |
| Perennials | 3 |
| Tree/Shrub | 1 |
| Vegetables | 1 |
| | 6 |

Samples by Commodity by County

| | |
|-------------|-----|
| Clark | |
| Field Crop | 6 |
| Soybean (6) | |
| Fruit/Nut | 4 |
| Perennials | 1 |
| Tree/Shrub | 26 |
| Turf | 4 |
| Vegetables | 16 |
| CLAY | 21 |
| Annuals | 2 |
| Field Crop | 10 |
| Corn (3) | |
| Gourd (1) | |
| Rice (2) | |
| Soybean (3) | |
| Wheat (1) | |
| Fruit/Nut | 2 |
| Other | 1 |
| Tree/Shrub | 4 |
| Turf | 1 |
| Vegetables | 1 |
| CLEBURNE | 6 |
| Fruit/Nut | 1 |
| Tree/Shrub | 5 |
| Turf | 1 |
| Cleveland | 2 |
| Forage | 1 |
| Fruit/Nut | 1 |
| COLUMBIA | 7 |
| Annuals | 1 |
| Fruit/Nut | 1 |
| Tree/Shrub | 7 |
| Turf | 2 |
| Vegetables | 3 |
| Conway | 2 |
| Field Crop | 2 |
| Soybean (2) | |
| Fruit/Nut | 3 |
| Vegetables | 24 |
| | 209 |

Samples by Commodity by County

CRAIGHEAD

| | |
|--------------|----|
| Annuals | 4 |
| Field Crop | 18 |
| Soybean (18) | |
| Fruit/Nut | 9 |
| Other | 2 |
| Perennials | 15 |
| Tree/Shrub | 98 |
| Turf | 46 |
| Vegetables | 17 |
| Weed | 2 |

Crawford

| | |
|--------------|----|
| Field Crop | 13 |
| Kudzu (1) | |
| Soybean (12) | |
| Fruit/Nut | 4 |
| Tree/Shrub | 7 |
| Vegetables | 2 |
| Weed | 1 |

CRITTENDEN

| | |
|--------------|----|
| Field Crop | 13 |
| Soybean (13) | |
| Tree/Shrub | 15 |
| Vegetables | 1 |

Cross

| | |
|--------------|----|
| Field Crop | 26 |
| Rice (4) | |
| Soybean (22) | |
| Fruit/Nut | 2 |
| Tree/Shrub | 1 |
| Vegetables | 7 |

DESHA

| | |
|--------------|----|
| Field Crop | 21 |
| Soybean (21) | |
| Turf | 2 |

Drew

| | |
|--------------|----|
| Field Crop | 10 |
| Soybean (10) | |
| Tree/Shrub | 4 |
| Turf | 2 |
| Vegetables | 2 |
| Weed | 1 |

15

Samples by Commodity by County

Faulkner

| | |
|--------------|----|
| Annuals | 2 |
| Field Crop | 12 |
| Kudzu (1) | |
| Soybean (11) | |
| Fruit/Nut | 34 |
| Other | 1 |
| Perennials | 5 |
| Tree/Shrub | 49 |
| Turf | 20 |
| Unknown | 2 |
| Vegetables | 24 |
| Weed | 1 |

9

Franklin

| | |
|------------|---|
| Fruit/Nut | 9 |
| Tree/Shrub | 6 |
| Vegetables | 8 |

FULTON

| | |
|------------|---|
| Annuals | 1 |
| Fruit/Nut | 3 |
| Perennials | 1 |
| Tree/Shrub | 2 |
| Vegetables | 5 |

Garland

| | |
|----------------|----|
| Annuals | 1 |
| Field Crop | 1 |
| Red Clover (1) | |
| Fruit/Nut | 1 |
| Perennials | 4 |
| Tree/Shrub | 70 |
| Turf | 46 |
| Vegetables | 6 |

GRANT

| | |
|------------|---|
| Vegetables | 1 |
|------------|---|

51

Samples by Commodity by County

| | |
|---------------------|-----------|
| Greene | |
| Field Crop | 15 |
| Kudzu (1) | |
| Soybean (14) | |
| Fruit/Nut | 6 |
| Other | 1 |
| Tree/Shrub | 8 |
| Turf | 2 |
| Vegetables | 7 |
| Weed | 12 |
| Hempstead | 16 |
| Annuals | 1 |
| Field Crop | 8 |
| Soybean (8) | |
| Fruit/Nut | 7 |
| Perennials | 1 |
| Tree/Shrub | 4 |
| Turf | 1 |
| Vegetables | 2 |
| Hot Spring | 3 |
| Fruit/Nut | 2 |
| Tree/Shrub | 1 |
| | 3 |
| Howard | |
| Perennials | 1 |
| Tree/Shrub | 2 |
| INDEPENDENCE | 10 |
| Fruit/Nut | 1 |
| Tree/Shrub | 6 |
| Turf | 1 |
| Vegetables | 2 |
| IZARD | 8 |
| Annuals | 1 |
| Fruit/Nut | 3 |
| Tree/Shrub | 4 |
| Vegetables | 7 |
| | 52 |

Samples by Commodity by County

JACKSON

| | |
|--------------|----|
| Field Crop | 31 |
| Soybean (30) | |
| Wheat (1) | |
| Fruit/Nut | 9 |
| Tree/Shrub | 9 |
| Vegetables | 3 |

Jefferson

| | |
|---------------|----|
| Annuals | 2 |
| Field Crop | 56 |
| Corn (5) | |
| Cotton (1) | |
| Rice (3) | |
| Soybean (43) | |
| Sugarcane (1) | |
| Wheat (3) | |
| Fruit/Nut | 7 |
| Other | 1 |
| Perennials | 1 |
| Tree/Shrub | 49 |
| Turf | 8 |
| Unknown | 1 |
| Vegetables | 7 |

Johnson

| | |
|-----------|---|
| Fruit/Nut | 6 |
|-----------|---|

Lafayette

| | |
|-------------|---|
| Field Crop | 7 |
| Soybean (7) | |

32

Lawrence

| | |
|--------------|----|
| Field Crop | 30 |
| Rice (1) | |
| Soybean (27) | |
| Wheat (2) | |
| Forage | 1 |
| Tree/Shrub | 4 |
| Vegetables | 1 |

78

Samples by Commodity by County

| | | |
|---------------------------|--|----|
| LEE | | |
| Field Crop | | 65 |
| Corn (1) | | |
| Rice (3) | | |
| Soybean (61) | | |
| Fruit/Nut | | 2 |
| Tree/Shrub | | 3 |
| Vegetables | | 10 |
| Lincoln | | 17 |
| Field Crop | | 12 |
| Soybean (12) | | |
| Fruit/Nut | | 1 |
| Tree/Shrub | | 1 |
| Turf | | 1 |
| Vegetables | | 5 |
| Little River | | 6 |
| Field Crop | | 6 |
| Soybean (6) | | |
| Tree/Shrub | | 1 |
| Logan | | 4 |
| Field Crop | | 4 |
| Soybean (4) | | |
| Fruit/Nut | | 11 |
| Perennials | | 2 |
| Tree/Shrub | | 5 |
| Turf | | 5 |
| Vegetables | | 9 |
| LONOKE | | 89 |
| Annuals | | 1 |
| Field Crop | | 75 |
| Beans; Peas; Dolichos (1) | | |
| Corn (2) | | |
| Rice (9) | | |
| Soybean (62) | | |
| Wheat (1) | | |
| Forage | | 1 |
| Fruit/Nut | | 29 |
| Perennials | | 1 |
| Tree/Shrub | | 58 |
| Turf | | 12 |
| Unknown | | 3 |
| Vegetables | | 50 |
| Weed | | 2 |

1

Samples by Commodity by County

| | | |
|--------------------|--|----|
| Madison | | |
| Field Crop | | 1 |
| Soybean (1) | | |
| Marion | | 23 |
| Fruit/Nut | | 2 |
| Tree/Shrub | | 15 |
| Turf | | 3 |
| Unknown | | 1 |
| Vegetables | | 2 |
| Miller | | 15 |
| Field Crop | | 10 |
| Kudzu (1) | | |
| Soybean (9) | | |
| Forage | | 1 |
| Vegetables | | 1 |
| Weed | | 3 |
| Mississippi | | 44 |
| Field Crop | | 30 |
| Kudzu (1) | | |
| Rice (1) | | |
| Soybean (28) | | |
| Forage | | 1 |
| Turf | | 2 |
| Weed | | 11 |
| MONROE | | 70 |
| Field Crop | | 55 |
| Rice (1) | | |
| Soybean (54) | | |
| Perennials | | 5 |
| Tree/Shrub | | 6 |
| Vegetables | | 4 |
| Weed | | 1 |
| Montgomery | | 11 |
| Annuals | | 1 |
| Fruit/Nut | | 1 |
| Other | | 1 |
| Perennials | | 3 |
| Tree/Shrub | | 2 |
| Turf | | 1 |
| Vegetables | | 2 |
| | | 7 |

Samples by Commodity by County

NEVADA

| | |
|------------|---|
| Perennials | 3 |
| Tree/Shrub | 3 |
| Vegetables | 1 |

NEWTON

| | |
|------------|---|
| Forage | 1 |
| Fruit/Nut | 2 |
| Tree/Shrub | 1 |
| Vegetables | 1 |

Ouachita

| | |
|------------|----|
| Fruit/Nut | 7 |
| Tree/Shrub | 13 |
| Turf | 3 |
| Vegetables | 5 |

Out of State

| | |
|--|----|
| Field Crop | 7 |
| Field Corn (1) | |
| Southern peas; Cowpeas Blackeye Peas (2) | |
| Soybean (3) | |
| Wheat (1) | |
| Fruit/Nut | 15 |
| Perennials | 2 |
| Tree/Shrub | 31 |
| Turf | 2 |
| Unknown | 2 |
| Vegetables | 8 |

Perry

| | |
|-------------|---|
| Field Crop | 4 |
| Soybean (4) | |
| Turf | 1 |
| Vegetables | 2 |

PHILLIPS

| | |
|--------------|----|
| Annuals | 1 |
| Field Crop | 65 |
| Rice (1) | |
| Soybean (64) | |
| Fruit/Nut | 3 |
| Other | 2 |
| Perennials | 1 |
| Tree/Shrub | 5 |
| Vegetables | 4 |
| Weed | 7 |

17

Samples by Commodity by County

| | | |
|------------------------|--|----|
| Poinsett | | |
| Annuals | | 2 |
| Field Crop | | 15 |
| Rice (4) | | |
| Soybean (11) | | |
| Fruit/Nut | | 2 |
| Tree/Shrub | | 4 |
| Vegetables | | 2 |
| Polk | | 1 |
| Tree/Shrub | | 1 |
| Vegetables | | 1 |
| Pope | | 6 |
| Field Crop | | 6 |
| Corn (2) | | |
| Rice (4) | | |
| Fruit/Nut | | 3 |
| Tree/Shrub | | 3 |
| Turf | | 6 |
| Vegetables | | 4 |
| Prairie | | 87 |
| Field Crop | | 62 |
| Corn (1) | | |
| Grain Sorghum (1) | | |
| Rice (4) | | |
| Soybean (56) | | |
| Fruit/Nut | | 1 |
| Tree/Shrub | | 17 |
| Vegetables | | 6 |
| Weed | | 1 |
| PULASKI | | 70 |
| Field Crop | | 2 |
| Japanese Persimmon (1) | | |
| Rice (1) | | |
| Fruit/Nut | | 5 |
| Perennials | | 63 |
| Tree/Shrub | | 56 |
| Turf | | 71 |
| Vegetables | | 15 |
| Randolph | | 11 |
| Field Crop | | 11 |
| Rice (1) | | |
| Soybean (10) | | |
| Forage | | 1 |
| | | 24 |

Samples by Commodity by County

SALINE

| | |
|------------|----|
| Annuals | 1 |
| Fruit/Nut | 2 |
| Other | 2 |
| Perennials | 1 |
| Tree/Shrub | 11 |
| Turf | 5 |
| Vegetables | 7 |

Sebastian

| | |
|-------------|----|
| Annuals | 2 |
| Field Crop | 1 |
| Soybean (1) | |
| Perennials | 1 |
| Tree/Shrub | 21 |
| Turf | 3 |
| Vegetables | 4 |

SEVIER

| | |
|------------|---|
| Annuals | 2 |
| Fruit/Nut | 9 |
| Tree/Shrub | 3 |
| Turf | 1 |
| Vegetables | 1 |
| Weed | 2 |

Sharp

| | |
|------------|---|
| Tree/Shrub | 3 |
| Vegetables | 2 |

St. Francis

| | |
|--|----|
| Field Crop | 22 |
| Corn (1) | |
| Oats (1) | |
| Southern peas; Cowpeas Blackeye Peas (1) | |
| Soybean (17) | |
| Wheat (2) | |
| Other | 1 |
| Perennials | 1 |
| Tree/Shrub | 4 |
| Vegetables | 20 |
| Weed | 2 |

Stone

| | |
|------------|---|
| Fruit/Nut | 5 |
| Tree/Shrub | 1 |

4

Samples by Commodity by County

| | |
|-------------------|----|
| Van Buren | |
| Field Crop | 1 |
| Soybean (1) | |
| Fruit/Nut | 2 |
| Perennials | 3 |
| Tree/Shrub | 4 |
| WASHINGTON | |
| Annuals | 11 |
| Field Crop | 1 |
| Soybean (1) | |
| Fruit/Nut | 11 |
| Other | 3 |
| Perennials | 1 |
| Tree/Shrub | 82 |
| Turf | 5 |
| Vegetables | 30 |
| White | |
| Field Crop | 5 |
| Soybean (5) | |
| Fruit/Nut | 23 |
| Perennials | 5 |
| Tree/Shrub | 32 |
| Turf | 5 |
| Vegetables | 15 |
| Woodruff | |
| Field Crop | 18 |
| Grain Sorghum (1) | |
| Soybean (15) | |
| Wheat (2) | |
| Fruit/Nut | 3 |
| Tree/Shrub | 3 |
| Vegetables | 8 |
| Yell | |
| Field Crop | 8 |
| Corn (2) | |
| Rice (1) | |
| Soybean (5) | |

| Samples by Host per County | Sample Count |
|---|---------------------|
| Cucurbits , Cucurbita spp. | 2 |
| Arkansas | 1 |
| Washington | 1 |
| , unknown | 10 |
| ARKANSAS | 1 |
| CRAIGHEAD | 6 |
| FAULKNER | 1 |
| Ouachita | 1 |
| White | 1 |
| Mustard-greens, Brassicaceae Brassica juncea | 2 |
| IZARD | 1 |
| Out of State | 1 |
| Caryopteris, Verbenaceae Caryopteris x clandonensis | 1 |
| Out of State | 1 |
| Holly, Aquifoliaceae Ilex sp. | 2 |
| Lonoke | 2 |
| Cherry laurel, Rosaceae Prunus laurocerasus | 1 |
| CRAIGHEAD | 1 |
| Mixed grasses for hay, Poaceae | 1 |
| NEWTON | 1 |
| TEST-E01, TEST-F01 TEST-G01 TEST-H01 | 1 |
| NA | 1 |
| Unspecified annual, | 2 |
| Poinsett | 2 |
| Gooseberry, | 1 |
| BAXTER | 1 |
| Currant, | 1 |
| BAXTER | 1 |
| white drupelet, white drupelet | 1 |
| FAULKNER | 1 |
| Aconite; Monkshood | 1 |
| BOONE | 1 |
| | 1 |

Samples by Host per County

| | |
|----------------------|----|
| African Violet | |
| SALINE | 1 |
| Alberta Spruce | 2 |
| CRAIGHEAD | 2 |
| Alfalfa | 2 |
| | 0 |
| American Sweetgum | 1 |
| WASHINGTON | 1 |
| Annual Chrysanthemum | 1 |
| Out of State | 1 |
| Apricot | 2 |
| BAXTER | 1 |
| Ouachita | 1 |
| Arborvitae | 4 |
| CRAIGHEAD | 1 |
| PULASKI | 1 |
| WASHINGTON | 1 |
| WHITE | 1 |
| Arborvitae | 28 |
| Baxter | 1 |
| CLAY | 1 |
| CLEBURNE | 1 |
| CRAIGHEAD | 4 |
| CRITTENDEN | 1 |
| Faulkner | 1 |
| Garland | 5 |
| INDEPENDENCE | 2 |
| Lonoke | 1 |
| Out of State | 2 |
| Pulaski | 3 |
| Saline | 1 |
| WASHINGTON | 4 |
| WHITE | 1 |
| Asparagus | 1 |
| FAULKNER | 1 |
| Aucuba | 2 |
| JEFFERSON | 1 |
| POINSETT | 1 |

Samples by Host per County

| | |
|----------------------|----|
| Autumn Joy Stonecrop | 2 |
| PHILLIPS | 1 |
| ST. FRANCIS | 1 |
| Avocado | 1 |
| LONOKE | 1 |
| Azalea; Rhododendron | 32 |
| ARKANSAS | 2 |
| CLARK | 1 |
| COLUMBIA | 1 |
| CRAIGHEAD | 3 |
| Crawford | 1 |
| CRITTENDEN | 4 |
| DREW | 1 |
| FAULKNER | 4 |
| FULTON | 1 |
| Garland | 2 |
| JACKSON | 2 |
| JEFFERSON | 4 |
| Out of State | 1 |
| SALINE | 1 |
| Sebastian | 4 |
| Azalea; Rhododendron | 36 |
| | 0 |
| CLARK | 1 |
| CRAIGHEAD | 3 |
| FAULKNER | 3 |
| Franklin | 1 |
| Garland | 14 |
| JEFFERSON | 2 |
| Lonoke | 5 |
| NEVADA | 1 |
| POPE | 1 |
| SEBASTIAN | 1 |
| WASHINGTON | 1 |
| WHITE | 1 |
| Baldcypress (Forest) | 3 |
| BAXTER | 1 |
| FAULKNER | 1 |
| Marion | 1 |
| Bamboo | 1 |
| SEBASTIAN | 1 |

Samples by Host per County

| | |
|-----------------------|----|
| Barberry | 1 |
| Arkansas | 1 |
| Bean | 21 |
| BAXTER | 1 |
| BOONE | 1 |
| CLARK | 2 |
| CLAY | 1 |
| CRITTENDEN | 1 |
| FAULKNER | 1 |
| FRANKLIN | 1 |
| JEFFERSON | 1 |
| Lee | 1 |
| Lincoln | 4 |
| Lonoke | 3 |
| MONROE | 1 |
| SALINE | 1 |
| WHITE | 2 |
| Beans; Peas; Dolichos | 4 |
| CRAIGHEAD | 1 |
| LONOKE | 2 |
| Prairie | 1 |
| Beans; Peas; Dolichos | 4 |
| BAXTER | 1 |
| DREW | 1 |
| Lawrence | 1 |
| MONROE | 1 |
| Beebalm; Horsemint | 1 |
| Hempstead | 1 |
| Bell Pepper | 2 |
| Faulkner | 1 |
| Pulaski | 1 |
| Bentgrass | 6 |
| | 0 |
| Cleburne | 1 |
| Lonoke | 1 |
| | 25 |

Samples by Host per County

| | |
|---------------------|----|
| Bentgrass | |
| Garland | 4 |
| Lonoke | 3 |
| Pope | 3 |
| Pulaski | 10 |
| Saline | 2 |
| White | 3 |
| Bermudagrass | |
| | 62 |
| | 0 |
| BAXTER | 4 |
| BOONE | 2 |
| CLAY | 1 |
| CRAIGHEAD | 20 |
| DESHA | 1 |
| DREW | 1 |
| FAULKNER | 5 |
| Garland | 2 |
| Greene | 2 |
| Jefferson | 3 |
| LOGAN | 2 |
| Lonoke | 2 |
| Montgomery | 1 |
| PERRY | 1 |
| POPE | 2 |
| Pulaski | 8 |
| WASHINGTON | 1 |
| White | 2 |
| Birch | |
| | 2 |
| CRAIGHEAD | 2 |
| Black Gum | |
| | 2 |
| JEFFERSON | 1 |
| WHITE | 1 |
| Black Walnut | |
| | 4 |
| COLUMBIA | 1 |
| JEFFERSON | 2 |
| Poinsett | 1 |
| Total | |
| | 16 |

Samples by Host per County

| | |
|--------------|----|
| Blackberry | 0 |
| CRAIGHEAD | 1 |
| CROSS | 1 |
| Hot Spring | 1 |
| INDEPENDENCE | 1 |
| LOGAN | 1 |
| LONOKE | 3 |
| Montgomery | 1 |
| Pulaski | 1 |
| SEVIER | 1 |
| WHITE | 4 |
| Blackberry | 27 |
| BAXTER | 3 |
| BRADLEY | 1 |
| FAULKNER | 1 |
| HEMPSTEAD | 4 |
| Johnson | 6 |
| LONOKE | 1 |
| NEWTON | 2 |
| Out of State | 7 |
| WASHINGTON | 2 |
| Blue Spruce | 12 |
| BAXTER | 7 |
| CLEBURNE | 1 |
| FAULKNER | 1 |
| Marion | 1 |
| WASHINGTON | 2 |
| Blueberry | 17 |
| BAXTER | 1 |
| FAULKNER | 4 |
| IZARD | 2 |
| LONOKE | 3 |
| Out of State | 2 |
| POPE | 1 |
| STONE | 2 |
| Washington | 1 |
| WHITE | 1 |
| | 18 |

Samples by Host per County

| | |
|------------------------------|---|
| Blueberry | |
| BOONE | 2 |
| Crawford | 1 |
| FAULKNER | 4 |
| HEMPSTEAD | 1 |
| LONOKE | 1 |
| Out of State | 2 |
| STONE | 1 |
| Washington | 3 |
| WHITE | 3 |
| Boston Fern | 1 |
| PHILLIPS | 1 |
| Boxleaf Japanese Holly | 2 |
| CRAIGHEAD | 1 |
| JEFFERSON | 1 |
| Boxwood | 5 |
| BOONE | 1 |
| CRAIGHEAD | 3 |
| St. Francis | 1 |
| Boxwood | 7 |
| | 0 |
| Chicot | 1 |
| CRAIGHEAD | 1 |
| Garland | 1 |
| JEFFERSON | 1 |
| LONOKE | 1 |
| Out of State | 1 |
| Boysenberry | 1 |
| BAXTER | 1 |
| Burford Holly | 4 |
| CRAIGHEAD | 2 |
| Garland | 1 |
| WHITE | 1 |
| Butterfly Bush; Summer Lilac | 1 |
| Marion | 1 |
| Butterfly-bush | 1 |
| Washington | 1 |
| | 1 |

Samples by Host per County

Cabbage

Lonoke 1

Callery Pear 11

BAXTER 1

CLEBURNE 1

FAULKNER 1

Greene 1

JACKSON 1

Marion 1

MONROE 1

Montgomery 1

POINSETT 1

WHITE 1

WOODRUFF 1

Camellia 6

CLARK 1

JEFFERSON 2

Polk 1

Sebastian 1

St. Francis 1

Camellia 4

Garland 1

Nevada 1

Pulaski 2

Caneberries (Brambles) 5

0

Canna 2

CRAIGHEAD 1

WASHINGTON 1

Canna Lily 4

0

CRAIGHEAD 1

Hempstead 1

Cantalope; Cantaloupe 9

IZARD 1

JACKSON 5

LONOKE 1

POPE 1

Pulaski 1

Samples by Host per County

| | |
|------------------|---|
| Carolina Jasmine | 1 |
| Greene | 1 |
| Catalpa | 2 |
| PHILLIPS | 2 |
| Cedar | 3 |
| ARKANSAS | 1 |
| Prairie | 2 |
| Cedar | 4 |
| BAXTER | 2 |
| BRADLEY | 1 |
| LONOKE | 1 |
| Centipedegrass | 8 |
| CLARK | 2 |
| Garland | 2 |
| JEFFERSON | 2 |
| Ouachita | 1 |
| POPE | 1 |
| Cherry | 2 |
| LOGAN | 1 |
| VAN BUREN | 1 |
| Cherry | 1 |
| CRAIGHEAD | 1 |
| Cherry-laurel | 3 |
| BAXTER | 1 |
| WASHINGTON | 2 |
| China Fir | 1 |
| GARLAND | 1 |
| Chinquapin Oak | 1 |
| Lonoke | 1 |
| Chives (Seed) | 3 |
| Washington | 3 |
| Choke Cherry | 1 |
| WASHINGTON | 1 |
| | 4 |

Samples by Host per County

| | |
|--------------------------------|----|
| Chrysanthemum | |
| Out of State | 1 |
| Van Buren | 3 |
| Clematis | 1 |
| WHITE | 1 |
| Climbing Hydrangea | 1 |
| WASHINGTON | 1 |
| Coccinia Gourds | 1 |
| CLAY | 1 |
| Cockscomb; Celosia | 1 |
| CLAY | 1 |
| Collards | 2 |
| BRADLEY | 1 |
| Out of State | 1 |
| Columbine | 1 |
| CRAIGHEAD | 1 |
| Commercial (Garden) Strawberry | 17 |
| BAXTER | 1 |
| CRAWFORD | 1 |
| FRANKLIN | 1 |
| Greene | 2 |
| HEMPSTEAD | 1 |
| Jefferson | 1 |
| LONOKE | 2 |
| Out of State | 2 |
| SALINE | 1 |
| WASHINGTON | 2 |
| WHITE | 3 |
| | 43 |

Samples by Host per County

| | |
|------------------------|---|
| Common Apple | |
| CLARK | 4 |
| CLAY | 1 |
| Cleveland | 1 |
| CONWAY | 1 |
| CRAIGHEAD | 4 |
| FAULKNER | 9 |
| FULTON | 3 |
| Hempstead | 1 |
| JACKSON | 1 |
| JEFFERSON | 1 |
| LOGAN | 2 |
| LONOKE | 4 |
| Marion | 1 |
| Ouachita | 1 |
| Out of State | 2 |
| PHILLIPS | 1 |
| POINSETT | 1 |
| SEVIER | 3 |
| WASHINGTON | 1 |
| WHITE | 1 |
| Common Bleeding Heart; | 1 |
| Out of State | 1 |
| Common Fig | 5 |
| FAULKNER | 1 |
| POPE | 1 |
| Pulaski | 1 |
| WASHINGTON | 1 |
| WHITE | 1 |
| Common Lilac | 1 |
| WASHINGTON | 1 |
| Common Persimmon | 1 |
| FAULKNER | 1 |
| Common Wheat | 1 |
| | 0 |
| Coneflower | 1 |
| Lonoke | 1 |
| | 6 |

Samples by Host per County

Conifers, Softwoods

| | |
|-----------|---|
| CRAIGHEAD | 4 |
| FRANKLIN | 1 |
| Garland | 1 |

Corn

| | |
|-------------|---|
| | 0 |
| BOONE | 1 |
| CLAY | 3 |
| Greene | 1 |
| JEFFERSON | 5 |
| LEE | 1 |
| Lonoke | 2 |
| Ouachita | 1 |
| Pope | 2 |
| Prairie | 1 |
| ST. FRANCIS | 1 |
| Yell | 2 |

Corn Plant (An Ornamental)

| | |
|-------------|---|
| St. Francis | 1 |
|-------------|---|

Cotoneaster

| | |
|-----------|---|
| CRAIGHEAD | 1 |
|-----------|---|

Cotton

| | |
|-----------|---|
| | 0 |
| JEFFERSON | 1 |

Cowpea

| | |
|--|---|
| | 0 |
|--|---|

Crabapple

| | |
|------------|---|
| CRAIGHEAD | 1 |
| WASHINGTON | 2 |

Crape Myrtle

| | |
|--------------|---|
| CRAIGHEAD | 2 |
| Garland | 1 |
| Howard | 1 |
| JEFFERSON | 1 |
| Out of State | 2 |
| PULASKI | 1 |
| WHITE | 1 |

Creeping Bentgrass

| | |
|--|---|
| | 0 |
|--|---|

Samples by Host per County

| | |
|------------------|----|
| Creeping Charlie | 1 |
| Garland | 1 |
| Cryptomeria | 1 |
| Garland | 1 |
| Cucumber | 14 |
| ARKANSAS | 1 |
| BAXTER | 2 |
| CLARK | 1 |
| CRAIGHEAD | 2 |
| FAULKNER | 1 |
| FRANKLIN | 1 |
| FULTON | 1 |
| Marion | 1 |
| PHILLIPS | 1 |
| SEVIER | 1 |
| Washington | 1 |
| WHITE | 1 |
| Cucumber Tree | 1 |
| Lonoke | 1 |
| Cypress | 1 |
| BOONE | 1 |
| Daffodil | 1 |
| FAULKNER | 1 |
| Daylily | 1 |
| SALINE | 1 |
| Daylily | 3 |
| CRAIGHEAD | 2 |
| Out of State | 1 |
| Deutzia | 1 |
| Out of State | 1 |
| Dogwood | 2 |
| Lonoke | 1 |
| WHITE | 1 |
| Dogwood | 2 |
| Lonoke | 2 |
| | 1 |

Samples by Host per County

| | |
|--------------------------|----|
| Dry Field Peas | |
| CRAWFORD | 1 |
| Eastern White Pine | 1 |
| | 0 |
| Eggplant | 1 |
| Out of State | 1 |
| Elaeagnus | 4 |
| JACKSON | 2 |
| Jefferson | 1 |
| SEBASTIAN | 1 |
| Elaeagnus | 1 |
| CLARK | 1 |
| Elderberry | 3 |
| BAXTER | 2 |
| VAN BUREN | 1 |
| Elephant Ear Plant | 3 |
| | 0 |
| JEFFERSON | 1 |
| Lonoke | 1 |
| Elm | 1 |
| Saline | 1 |
| Elm | 10 |
| JEFFERSON | 2 |
| Marion | 2 |
| MONROE | 1 |
| Prairie | 1 |
| WASHINGTON | 4 |
| English (Persian) Walnut | 1 |
| STONE | 1 |
| English Ivy | 5 |
| ARKANSAS | 1 |
| CRAIGHEAD | 1 |
| FAULKNER | 1 |
| PULASKI | 2 |
| | 1 |

Samples by Host per County

| | |
|--------------------------|----|
| Eucalyptus | |
| Prairie | 1 |
| Eulalia | 1 |
| Out of State | 1 |
| Euonymous (Spindle Tree) | 1 |
| JEFFERSON | 1 |
| Euonymus | 9 |
| CRAIGHEAD | 2 |
| CRAWFORD | 1 |
| Garland | 1 |
| INDEPENDENCE | 1 |
| Pulaski | 1 |
| SEVIER | 2 |
| VAN BUREN | 1 |
| Evergreen Euonymus | 8 |
| CLARK | 1 |
| CRAIGHEAD | 1 |
| Hempstead | 1 |
| LOGAN | 1 |
| Ouachita | 1 |
| Sebastian | 3 |
| Fern; Pteris (Table) | 1 |
| BAXTER | 1 |
| Fescues | 32 |
| BAXTER | 6 |
| BOONE | 1 |
| CRAIGHEAD | 13 |
| Garland | 1 |
| LONOKE | 1 |
| Marion | 3 |
| Mississippi | 2 |
| Out of State | 2 |
| RANDOLPH | 1 |
| Washington | 2 |
| Fiddle-leaf Fig | 1 |
| WASHINGTON | 1 |
| | 1 |

Samples by Host per County

| | |
|--------------------------|----|
| Field Corn | |
| Out of State | 1 |
| Field Pumpkin | 1 |
| | 0 |
| Fig (Ornamental) | 1 |
| Washington | 1 |
| Firethorn | 1 |
| FAULKNER | 1 |
| Firethorn | 1 |
| GARLAND | 1 |
| Flowering Dogwood | 39 |
| BAXTER | 2 |
| CLARK | 1 |
| COLUMBIA | 2 |
| CRAIGHEAD | 3 |
| FAULKNER | 4 |
| Garland | 7 |
| JACKSON | 1 |
| Jefferson | 1 |
| LEE | 1 |
| Lonoke | 1 |
| Ouachita | 1 |
| Out of State | 1 |
| PULASKI | 3 |
| SALINE | 1 |
| WASHINGTON | 9 |
| WHITE | 1 |
| Forsythia (Golden Bells) | 2 |
| Lonoke | 1 |
| PULASKI | 1 |
| Forsythia (Golden Bells) | 1 |
| CRAWFORD | 1 |
| Frangipani; Plumeria | 1 |
| WASHINGTON | 1 |
| Garden Beet | 1 |
| Lee | 1 |
| | 4 |

Samples by Host per County

| | |
|-------------------------|----|
| Garden Petunia | |
| COLUMBIA | 1 |
| Sebastian | 1 |
| WASHINGTON | 2 |
| Gardenia | 5 |
| DREW | 1 |
| FAULKNER | 1 |
| Jefferson | 1 |
| LONOKE | 2 |
| Garlic | 18 |
| | 0 |
| Geranium ('cultivated') | 1 |
| WASHINGTON | 1 |
| Ginkgo | 3 |
| FAULKNER | 1 |
| LAWRENCE | 1 |
| PHILLIPS | 1 |
| Goldenrain Tree | 2 |
| CROSS | 1 |
| Greene | 1 |
| Gourd | 3 |
| BAXTER | 1 |
| CLAY | 2 |
| Grain Sorghum | 2 |
| Prairie | 1 |
| Woodruff | 1 |
| | 31 |

Samples by Host per County

| | |
|-------------------------|---|
| Grape | 0 |
| BOONE | 1 |
| FAULKNER | 2 |
| Franklin | 7 |
| Garland | 1 |
| Greene | 1 |
| JEFFERSON | 1 |
| LOGAN | 3 |
| Lonoke | 4 |
| Out of State | 1 |
| PHILLIPS | 1 |
| POPE | 1 |
| SEVIER | 1 |
| Stone | 1 |
| WASHINGTON | 1 |
| WHITE | 3 |
| Grasses | 2 |
| LONOKE | 1 |
| WHITE | 1 |
| Ground Morning Glory | 1 |
| Chicot | 1 |
| Hackberry | 1 |
| SEVIER | 1 |
| Hardy Kiwi | 3 |
| CRAWFORD | 1 |
| Washington | 2 |
| Hawthorn | 1 |
| Garland | 1 |
| Heavenly Bamboo | 2 |
| CRAIGHEAD | 1 |
| FAULKNER | 1 |
| Hellebore | 1 |
| Arkansas | 1 |
| Heller (Mushroom) Holly | 1 |
| JEFFERSON | 1 |
| | 3 |

Samples by Host per County

| | |
|---------------------|----|
| Hibiscus | |
| Hempstead | 1 |
| Lonoke | 1 |
| Out of State | 1 |
| Hickory | 1 |
| Lonoke | 1 |
| Hinoki Falsecypress | 1 |
| WASHINGTON | 1 |
| Holly | 35 |
| BAXTER | 1 |
| CLARK | 1 |
| COLUMBIA | 1 |
| CRAIGHEAD | 5 |
| FAULKNER | 3 |
| Garland | 14 |
| JEFFERSON | 1 |
| PULASKI | 2 |
| SEBASTIAN | 3 |
| WHITE | 4 |
| Hollyhock | 4 |
| BAXTER | 1 |
| CRAIGHEAD | 1 |
| FAULKNER | 1 |
| MONROE | 1 |
| Hosta | 8 |
| BOONE | 2 |
| FAULKNER | 1 |
| Lonoke | 1 |
| Out of State | 4 |
| Hosta | 70 |
| Arkansas | 2 |
| CRAIGHEAD | 1 |
| FULTON | 1 |
| Lonoke | 1 |
| Out of State | 1 |
| PHILLIPS | 1 |
| Prairie | 2 |
| PULASKI | 59 |
| Washington | 1 |
| WHITE | 1 |

Samples by Host per County

| | |
|-----------------|----|
| Household | 1 |
| JEFFERSON | 1 |
| Hydrangea | 6 |
| CRAIGHEAD | 2 |
| Garland | 1 |
| MONROE | 1 |
| Sebastian | 1 |
| WASHINGTON | 1 |
| Hydrangea | 22 |
| BAXTER | 2 |
| CLARK | 5 |
| CRAIGHEAD | 1 |
| Garland | 1 |
| JEFFERSON | 2 |
| Lonoke | 1 |
| NEVADA | 1 |
| Ouachita | 1 |
| Out of State | 3 |
| WASHINGTON | 2 |
| WHITE | 3 |
| Impatiens | 2 |
| Garland | 1 |
| Sebastian | 1 |
| Impatiens | 1 |
| FAULKNER | 1 |
| Indian Hawthorn | 1 |
| CRAIGHEAD | 1 |
| Iris | 1 |
| PULASKI | 1 |
| Iris | 3 |
| LOGAN | 1 |
| PULASKI | 2 |
| Italian Arum | 1 |
| Lonoke | 1 |
| Italian Cypress | 1 |
| PULASKI | 1 |
| | 1 |

Samples by Host per County

| | |
|--------------------------|----|
| Itea; Sweetspire | |
| Out of State | 1 |
| Japanese Andromeda | 3 |
| Pulaski | 3 |
| Japanese Cleyera | 1 |
| Sebastian | 1 |
| Japanese Dogwood (Kousa) | 1 |
| BAXTER | 1 |
| Japanese Kerria | 1 |
| WASHINGTON | 1 |
| Japanese Maple | 30 |
| | 0 |
| BAXTER | 2 |
| Columbia | 2 |
| CRAIGHEAD | 2 |
| CRAWFORD | 1 |
| FAULKNER | 2 |
| FRANKLIN | 2 |
| Greene | 1 |
| Jefferson | 4 |
| Lonoke | 5 |
| Ouachita | 1 |
| Out of State | 1 |
| POPE | 1 |
| Pulaski | 2 |
| WASHINGTON | 2 |
| WHITE | 1 |
| Japanese Persimmon | 2 |
| Pulaski | 2 |
| Japanese Yew | 1 |
| BAXTER | 1 |
| Japanese Yew | 1 |
| CRAIGHEAD | 1 |
| | 19 |

Samples by Host per County

Juniper

| | |
|--------------|---|
| BAXTER | 1 |
| BOONE | 1 |
| CLAY | 1 |
| CRAIGHEAD | 4 |
| FAULKNER | 2 |
| Garland | 1 |
| Lonoke | 1 |
| Marion | 2 |
| Out of State | 3 |
| PULASKI | 2 |
| WHITE | 1 |

Juniper 16

| | |
|-----------|---|
| BAXTER | 1 |
| COLUMBIA | 1 |
| CRAIGHEAD | 5 |
| DREW | 1 |
| FAULKNER | 1 |
| Garland | 3 |
| Greene | 1 |
| Hempstead | 1 |
| Lonoke | 1 |
| MONROE | 1 |

Kalanchoe 1

| | |
|----------|---|
| ARKANSAS | 1 |
|----------|---|

Keiffer Pear 1

| | |
|--------|---|
| BAXTER | 1 |
|--------|---|

Kudzu 14

| | |
|-------------|---|
| Chicot | 1 |
| Greene | 2 |
| Miller | 4 |
| Mississippi | 2 |
| Phillips | 5 |

27

Samples by Host per County

| | |
|-----------------|----|
| Kudzu | |
| Ashley | 1 |
| Craighead | 1 |
| Crawford | 2 |
| Drew | 1 |
| Faulkner | 1 |
| Greene | 9 |
| LONOKE | 1 |
| Mississippi | 10 |
| Monroe | 1 |
| Lantana | |
| Ouachita | 1 |
| Laurel | |
| CRAIGHEAD | 1 |
| WASHINGTON | 1 |
| Lemon | |
| FAULKNER | 2 |
| Leyland Cypress | |
| CLARK | 1 |
| CLEBURNE | 1 |
| CRAIGHEAD | 7 |
| Garland | 3 |
| LAWRENCE | 1 |
| MONROE | 1 |
| POPE | 1 |
| PULASKI | 5 |
| SALINE | 3 |
| St. Francis | 1 |
| WASHINGTON | 6 |
| WHITE | 4 |
| WOODRUFF | 1 |
| Lilac | |
| WHITE | 1 |
| Lily Turf | |
| FAULKNER | 1 |
| Prairie | 2 |
| SEVIER | 1 |
| | 1 |

Samples by Host per County

Lilyturf (Bordergrass)

SALINE 1

Loblolly Pine

8

0

CLAY

1

Locust

1

Prairie

1

Loropetalum

1

Lonoke

1

Madagascar periwinkle; Vinca

2

CRAIGHEAD

1

Faulkner

1

Magnolia

17

ARKANSAS

1

BOONE

1

CLARK

1

CRAIGHEAD

1

FAULKNER

1

IZARD

1

JEFFERSON

1

LOGAN

1

Lonoke

3

Prairie

2

PULASKI

2

SEVIER

1

ST. FRANCIS

1

Magnolia

7

CRAWFORD

1

FAULKNER

3

FRANKLIN

1

Lonoke

1

PHILLIPS

1

42

Samples by Host per County

| | |
|------------------------------|----|
| Maple | |
| BOONE | 2 |
| CRAIGHEAD | 2 |
| CRAWFORD | 2 |
| CRITTENDEN | 1 |
| FAULKNER | 7 |
| Garland | 2 |
| Greene | 3 |
| IZARD | 1 |
| JEFFERSON | 2 |
| LINCOLN | 1 |
| Lonoke | 2 |
| Marion | 2 |
| NEVADA | 1 |
| Prairie | 2 |
| WASHINGTON | 10 |
| WHITE | 2 |
| Marigold | 1 |
| FULTON | 1 |
| Melampodium | 1 |
| WASHINGTON | 1 |
| Mondograss (Dwarf Lily Turf) | 1 |
| CRAIGHEAD | 1 |
| Mulberry | 2 |
| CRAIGHEAD | 1 |
| Pulaski | 1 |
| Mulberry | 1 |
| JEFFERSON | 1 |
| Muscadine Grape | 8 |
| CLAY | 1 |
| CROSS | 1 |
| FAULKNER | 2 |
| Lee | 1 |
| LOGAN | 1 |
| PULASKI | 1 |
| WHITE | 1 |
| | 4 |

Samples by Host per County

Nectarine

| | |
|-----------|---|
| CRAIGHEAD | 1 |
| FAULKNER | 1 |
| Lonoke | 1 |
| WHITE | 1 |

Norway Spruce

| | |
|------------|---|
| WASHINGTON | 1 |
|------------|---|

Oak

| | |
|------------|---|
| BAXTER | 1 |
| BOONE | 2 |
| CLARK | 1 |
| CLEBURNE | 1 |
| CRITTENDEN | 2 |
| FAULKNER | 1 |
| JEFFERSON | 2 |
| Lonoke | 3 |
| Marion | 1 |
| NEWTON | 1 |
| PHILLIPS | 1 |
| PULASKI | 1 |
| SALINE | 1 |
| STONE | 1 |
| WASHINGTON | 3 |
| WHITE | 1 |

58

Samples by Host per County

| | |
|-------------------------|----|
| Oak | |
| BAXTER | 3 |
| BOONE | 1 |
| CRAIGHEAD | 9 |
| CRITTENDEN | 4 |
| FAULKNER | 4 |
| Greene | 1 |
| INDEPENDENCE | 2 |
| IZARD | 1 |
| JACKSON | 1 |
| JEFFERSON | 9 |
| LAWRENCE | 1 |
| Lonoke | 5 |
| Marion | 1 |
| Ouachita | 2 |
| Out of State | 1 |
| Prairie | 1 |
| Pulaski | 2 |
| SEBASTIAN | 1 |
| Sharp | 3 |
| VAN BUREN | 3 |
| WASHINGTON | 3 |
| Oats | 1 |
| ST. FRANCIS | 1 |
| Okra | 10 |
| | 0 |
| GRANT | 1 |
| Greene | 1 |
| Lonoke | 3 |
| MONROE | 1 |
| Ouachita | 1 |
| Pulaski | 1 |
| WHITE | 1 |
| Onion | 4 |
| LONOKE | 1 |
| Out of State | 2 |
| Pulaski | 1 |
| Oriental Pear (shinglo) | 1 |
| WHITE | 1 |
| | 1 |

Samples by Host per County

| | |
|-------------|----|
| Oxalis | |
| Sebastian | 1 |
| Pampasgrass | 2 |
| Garland | 1 |
| Lonoke | 1 |
| Papaya | 1 |
| Ouachita | 1 |
| Parsley | 1 |
| BAXTER | 1 |
| Peace Lily | 1 |
| Jefferson | 1 |
| Peach | 27 |
| ARKANSAS | 3 |
| BAXTER | 3 |
| CLEBURNE | 1 |
| CRAIGHEAD | 1 |
| CRAWFORD | 1 |
| FAULKNER | 3 |
| Hot Spring | 2 |
| JACKSON | 1 |
| LOGAN | 1 |
| Lonoke | 3 |
| Montgomery | 1 |
| OUACHITA | 2 |
| SALINE | 1 |
| SEVIER | 3 |
| WHITE | 1 |

12

Samples by Host per County

Pear

| | |
|----------|---|
| BAXTER | 1 |
| BOONE | 1 |
| CLARK | 1 |
| CONWAY | 1 |
| FAULKNER | 1 |
| FRANKLIN | 1 |
| Garland | 2 |
| Greene | 1 |
| LEE | 1 |
| Lonoke | 1 |
| Pulaski | 1 |

Pecan

| | |
|------------|---|
| ARKANSAS | 1 |
| CLARK | 1 |
| CRITTENDEN | 1 |
| FAULKNER | 2 |
| FRANKLIN | 1 |
| Greene | 2 |
| HEMPSTEAD | 1 |
| Howard | 1 |
| IZARD | 1 |
| Jefferson | 2 |
| LEE | 1 |
| LINCOLN | 1 |
| LONOKE | 6 |
| MONROE | 2 |
| Ouachita | 2 |
| PHILLIPS | 1 |
| Pulaski | 3 |
| SALINE | 1 |
| WHITE | 1 |

Peony

| | |
|-------|---|
| CLARK | 1 |
| LOGAN | 1 |

Peony

| | |
|-----------|---|
| CRAIGHEAD | 1 |
| Howard | 1 |

34

Samples by Host per County

Pepper

| | |
|--------------|---|
| ARKANSAS | 1 |
| BAXTER | 2 |
| CRAIGHEAD | 4 |
| CROSS | 1 |
| Faulkner | 6 |
| Garland | 2 |
| Greene | 1 |
| INDEPENDENCE | 1 |
| Izard | 6 |
| Jefferson | 1 |
| Lonoke | 1 |
| PHILLIPS | 1 |
| SALINE | 3 |
| SEBASTIAN | 1 |
| St. Francis | 1 |
| WASHINGTON | 2 |

| | |
|----------------------|---|
| Phalaenopsis Orchids | 1 |
| Montgomery | 1 |

| | |
|--------------|---|
| Philodendron | 1 |
| ARKANSAS | 1 |

| | |
|-----------|---|
| Phlox | 2 |
| CRAIGHEAD | 2 |

| | |
|------------|---|
| Photinia | 5 |
| CLARK | 2 |
| CRAIGHEAD | 1 |
| Crittenden | 1 |
| SEVIER | 1 |

| | |
|-----------|---|
| Photinia | 2 |
| CRAIGHEAD | 1 |
| JEFFERSON | 1 |

10

Samples by Host per County

| | |
|----------------------|----|
| Pine | |
| BOONE | 2 |
| CLARK | 1 |
| CRAIGHEAD | 1 |
| Drew | 1 |
| LITTLE RIVER | 1 |
| Out of State | 1 |
| Pulaski | 1 |
| Sebastian | 1 |
| WASHINGTON | 1 |
| Pine | 13 |
| BOONE | 2 |
| CRITTENDEN | 1 |
| FAULKNER | 1 |
| Marion | 2 |
| Ouachita | 3 |
| PULASKI | 1 |
| WASHINGTON | 3 |
| Pistachio | 1 |
| LAWRENCE | 1 |
| Planetree (Sycamore) | 1 |
| WASHINGTON | 1 |
| Plum | 9 |
| FAULKNER | 1 |
| JEFFERSON | 2 |
| LOGAN | 1 |
| Lonoke | 2 |
| WHITE | 2 |
| WOODRUFF | 1 |
| Plum | 1 |
| CRAIGHEAD | 1 |
| | 14 |

Samples by Host per County

| | |
|-----------------------------|---|
| Potato | 0 |
| CLARK | 2 |
| DREW | 1 |
| FULTON | 2 |
| LOGAN | 4 |
| Lonoke | 3 |
| PULASKI | 1 |
| Pothos | 1 |
| FAULKNER | 1 |
| Potting Soil; growing media | 2 |
| | 0 |
| Prunus | 6 |
| ARKANSAS | 1 |
| BAXTER | 1 |
| Pulaski | 1 |
| Sebastian | 2 |
| WASHINGTON | 1 |
| Prunus | 9 |
| Baxter | 4 |
| CLAY | 1 |
| LONOKE | 1 |
| Pulaski | 2 |
| Washington | 1 |
| Pumpkin | 1 |
| Lonoke | 1 |
| Pumpkin | 4 |
| Jefferson | 1 |
| Lonoke | 3 |
| Pussy Willow | 1 |
| WHITE | 1 |
| Radish | 1 |
| CLARK | 1 |
| Raspberry | 4 |
| BAXTER | 3 |
| FAULKNER | 1 |
| | 1 |

Samples by Host per County

| | |
|--------------|-----|
| Red Clover | |
| Garland | 1 |
| Redbud | 4 |
| INDEPENDENCE | 1 |
| LEE | 1 |
| MONROE | 1 |
| SEBASTIAN | 1 |
| Redbud | 4 |
| CRAIGHEAD | 1 |
| LONOKE | 1 |
| Prairie | 1 |
| WASHINGTON | 1 |
| Rhododendron | 9 |
| BAXTER | 1 |
| Pulaski | 8 |
| Rhubarb | 1 |
| WASHINGTON | 1 |
| Rice | 172 |
| | 0 |
| ARKANSAS | 5 |
| CLAY | 2 |
| CROSS | 4 |
| JEFFERSON | 3 |
| Lawrence | 1 |
| LEE | 3 |
| Lonoke | 9 |
| Mississippi | 1 |
| MONROE | 1 |
| Phillips | 1 |
| Poinsett | 4 |
| Pope | 4 |
| Prairie | 4 |
| Pulaski | 1 |
| Randolph | 1 |
| Yell | 1 |
| | 16 |

Samples by Host per County

| | |
|-------------------------------|----|
| Rose | |
| Arkansas | 1 |
| CRAIGHEAD | 3 |
| FAULKNER | 1 |
| LOGAN | 1 |
| Lonoke | 1 |
| MONROE | 1 |
| PULASKI | 1 |
| SEVIER | 1 |
| WHITE | 6 |
| Rose | 23 |
| Chicot | 1 |
| CLARK | 3 |
| CRAIGHEAD | 1 |
| FAULKNER | 1 |
| Garland | 6 |
| Marion | 1 |
| Montgomery | 3 |
| Nevada | 1 |
| Out of State | 1 |
| POINSETT | 1 |
| PULASKI | 2 |
| SALINE | 1 |
| WASHINGTON | 1 |
| Rose-of-sharon (Shrub-althea) | 2 |
| Ouachita | 1 |
| WASHINGTON | 1 |
| Rosemary | 2 |
| BAXTER | 1 |
| GARLAND | 1 |
| Russian Olive(Oleaster) | 1 |
| CRAIGHEAD | 1 |
| Salvia (Sage) | 1 |
| Washington | 1 |
| Salvia (Sage) | 2 |
| Marion | 1 |
| Washington | 1 |
| | 3 |

Samples by Host per County

| | |
|--------------------------------------|---|
| Schefflera | |
| Lonoke | 1 |
| SALINE | 2 |
| Sedges | 1 |
| LONOKE | 1 |
| Smoke Tree | 1 |
| BAXTER | 1 |
| Snap Bean; Green Bean | 5 |
| CLARK | 1 |
| CRAIGHEAD | 1 |
| Pulaski | 1 |
| WHITE | 2 |
| Southern Bayberry; Wax Myrtle | 1 |
| CLARK | 1 |
| Southern peas; Cowpeas Blackeye Peas | 2 |
| Out of State | 2 |
| Southern peas; Cowpeas Blackeye Peas | 6 |
| | 0 |
| CRAIGHEAD | 1 |
| JEFFERSON | 1 |
| Lee | 1 |
| Lonoke | 1 |
| St. Francis | 1 |
| Southern Red Cedar | 1 |
| WASHINGTON | 1 |

982

Samples by Host per County

Soybean

| | |
|--------------|----|
| | 0 |
| ARKANSAS | 56 |
| Ashley | 10 |
| Chicot | 12 |
| Clark | 6 |
| CLAY | 3 |
| Conway | 2 |
| CRAIGHEAD | 19 |
| Crawford | 12 |
| CRITTENDEN | 13 |
| Cross | 22 |
| DESHA | 21 |
| Drew | 10 |
| Faulkner | 12 |
| Greene | 16 |
| Hempstead | 8 |
| JACKSON | 30 |
| JEFFERSON | 43 |
| Lafayette | 7 |
| Lawrence | 28 |
| LEE | 61 |
| Lincoln | 12 |
| Little River | 6 |
| Logan | 4 |
| LONOKE | 62 |
| Madison | 1 |
| Miller | 10 |
| Mississippi | 29 |
| Monroe | 54 |
| Out of State | 3 |
| Perry | 4 |
| Phillips | 66 |
| POINSETT | 11 |
| Prairie | 56 |
| Randolph | 10 |
| Sebastian | 1 |
| ST. FRANCIS | 19 |
| Van Buren | 1 |
| Washington | 1 |
| White | 5 |
| WOODRUFF | 15 |
| Yell | 5 |

Samples by Host per County

| | |
|---------------------|----|
| Spirea | |
| Out of State | 1 |
| Spirea | 4 |
| JACKSON | 2 |
| Out of State | 2 |
| Spreading Euonymus | 1 |
| IZARD | 1 |
| Spruce (Ornamental) | 1 |
| Washington | 1 |
| Spruce (Ornamental) | 4 |
| BOONE | 1 |
| CRAIGHEAD | 1 |
| WASHINGTON | 2 |
| Squash | 12 |
| BAXTER | 1 |
| CLARK | 1 |
| CROSS | 1 |
| Greene | 1 |
| Lonoke | 3 |
| Marion | 1 |
| Pulaski | 2 |
| WASHINGTON | 2 |
| Squash | 14 |
| | 0 |
| CLARK | 1 |
| CRAWFORD | 1 |
| LEE | 2 |
| Montgomery | 2 |
| PHILLIPS | 1 |
| St. Francis | 1 |
| WASHINGTON | 4 |
| | 31 |

Samples by Host per County

| | |
|--------------------------------|-----|
| St. Augustinegrass | |
| CLARK | 2 |
| COLUMBIA | 2 |
| DESHA | 1 |
| DREW | 1 |
| FAULKNER | 3 |
| Garland | 9 |
| HEMPSTEAD | 1 |
| JEFFERSON | 1 |
| LINCOLN | 1 |
| Pulaski | 9 |
| SEBASTIAN | 1 |
| Strawberry | 1 |
| CRAIGHEAD | 1 |
| Sugarcane | 1 |
| JEFFERSON | 1 |
| Sultana (New Guinea Impatians) | 3 |
| WASHINGTON | 3 |
| Sunflower | 4 |
| | 0 |
| MONROE | 1 |
| Sweet Basil | 1 |
| WASHINGTON | 1 |
| Sweet Corn | 1 |
| Clark | 1 |
| Sweet Potato | 21 |
| | 0 |
| CHICOT | 1 |
| LEE | 2 |
| Lonoke | 1 |
| Taiwanese or Serulate Photinia | 1 |
| FAULKNER | 1 |
| | 261 |

Samples by Host per County

Tomato

| | |
|--------------|----|
| | 0 |
| ARKANSAS | 17 |
| Ashley | 3 |
| BAXTER | 2 |
| BOONE | 4 |
| Bradley | 2 |
| Chicot | 1 |
| CLARK | 6 |
| COLUMBIA | 3 |
| CONWAY | 25 |
| CRAIGHEAD | 8 |
| CROSS | 5 |
| FAULKNER | 13 |
| FRANKLIN | 6 |
| FULTON | 2 |
| Garland | 4 |
| Greene | 3 |
| Hempstead | 2 |
| INDEPENDENCE | 1 |
| JACKSON | 2 |
| Jefferson | 2 |
| LEE | 3 |
| LOGAN | 6 |
| LONOKE | 26 |
| Marion | 1 |
| MONROE | 1 |
| Montgomery | 1 |
| NEVADA | 1 |
| NEWTON | 1 |
| Ouachita | 1 |
| Out of State | 3 |
| Perry | 2 |
| PHILLIPS | 1 |
| POINSETT | 2 |
| POLK | 1 |
| POPE | 2 |
| Prairie | 6 |
| Pulaski | 7 |
| Saline | 3 |
| SEBASTIAN | 3 |
| ST. FRANCIS | 17 |
| Washington | 16 |
| WHITE | 9 |
| WOODRUFF | 8 |

| | |
|--------------------------------------|-----------|
| Samples by Host per County | 1 |
| Tulip Tree | |
| BOONE | 1 |
| Turfgrass | 50 |
| | 0 |
| LONOKE | 1 |
| Ouachita | 1 |
| Pulaski | 1 |
| Turnip | 2 |
| Jefferson | 1 |
| Lonoke | 1 |
| Unknown Weeds; Unknown plants | 3 |
| CRAIGHEAD | 1 |
| PHILLIPS | 1 |
| SEVIER | 1 |
| Unknown; No Site Specified | 16 |
| | 0 |
| CLARK | 1 |
| CRAIGHEAD | 3 |
| FAULKNER | 1 |
| JEFFERSON | 1 |
| LONOKE | 2 |
| NA | 1 |
| Prairie | 1 |
| Vegetables | 4 |
| | 0 |
| Velvetleaf; Indian Mallow | 1 |
| SEVIER | 1 |
| Verbena | 1 |
| NEVADA | 1 |
| Viburnum | 1 |
| Pulaski | 1 |
| Violas (Violet; Pansy) | 1 |
| WASHINGTON | 1 |
| | 19 |

Samples by Host per County

| | |
|----------------------------|----|
| Watermelon | |
| Arkansas | 1 |
| JACKSON | 3 |
| Jefferson | 2 |
| Lincoln | 1 |
| LONOKE | 2 |
| Miller | 1 |
| Ouachita | 2 |
| POPE | 1 |
| Sharp | 2 |
| St. Francis | 1 |
| WOODRUFF | 3 |
| Wax Begonia | 2 |
| WASHINGTON | 2 |
| Wax Myrtle | 2 |
| CLARK | 1 |
| Pulaski | 1 |
| Weeping Willow | 2 |
| BAXTER | 1 |
| FAULKNER | 1 |
| Weigela | 1 |
| JEFFERSON | 1 |
| Wheat | 13 |
| CLAY | 1 |
| JACKSON | 1 |
| JEFFERSON | 3 |
| LAWRENCE | 2 |
| Lonoke | 1 |
| Out of State | 1 |
| ST. FRANCIS | 2 |
| WOODRUFF | 2 |
| White Clover | 1 |
| Cleveland | 1 |
| Wild Passionflower; Maypop | 1 |
| Lonoke | 1 |
| | 2 |

Samples by Host per County

| | | |
|-------------|------------|---|
| Willow | | |
| | CRAIGHEAD | 1 |
| | Lonoke | 1 |
| Willow | | 3 |
| | Prairie | 2 |
| | WASHINGTON | 1 |
| Wisteria | | 1 |
| | Lonoke | 1 |
| Wisteria | | 3 |
| | FAULKNER | 1 |
| | LOGAN | 2 |
| Witch Hazel | | 2 |
| | Ouachita | 2 |
| Yaupon | | 1 |
| | Lonoke | 1 |
| Yew | | 2 |
| | BOONE | 1 |
| | CRAIGHEAD | 1 |
| Yew | | 4 |
| | BOONE | 1 |
| | FULTON | 1 |
| | JEFFERSON | 1 |
| | WASHINGTON | 1 |
| Yucca | | 1 |
| | POINSETT | 1 |
| Zinnia | | 2 |
| | CRAIGHEAD | 2 |
| Zinnia | | 1 |
| | JEFFERSON | 1 |

121

Samples by Host per County

Zoysia (Japanese Lawngrass)

| | |
|--------------|----|
| | 0 |
| BAXTER | 6 |
| Boone | 1 |
| CRAIGHEAD | 14 |
| FAULKNER | 11 |
| Garland | 28 |
| INDEPENDENCE | 1 |
| JEFFERSON | 2 |
| LOGAN | 3 |
| LONOKE | 2 |
| Pulaski | 44 |
| Saline | 3 |
| SEBASTIAN | 2 |
| WASHINGTON | 2 |

Samples by Pest

1 - Impatiens necrotic spot, Tospovirus Impatiens necrotic spot virus (INSV)

[Confirmed](#): 1

1 - Cane blight, Leptosphaeria coniothyrium

[Confirmed](#): 1

4 - Cedar apple rust, Gymnosporangium juniperi-virginanae

[Confirmed](#): 4

4 - Quince rust, Gymnosporangium clavipes

[Confirmed](#): 4

1 - Fruit russet, Frost, sprays, etc.

[Confirmed](#): 1

1 - Sunburn,

[Suspected](#): 1

1 - Rust, Coleosporium spp

[Confirmed](#): 1

1 - Leaf spot, Gloeocercospora spp

[Confirmed](#): 1

1 - Leaf spot, Pseudocercospora spp

[Confirmed](#): 1

2 - Rust, Puccinia malvacearum

[Confirmed](#): 2

2 - Damping off, Rhizoctonia spp

[Confirmed](#): 2

Samples by Pest

- 1 - Leaf spot, bacterial, *Xanthomonas pruni*
[Confirmed](#): 1

- 52 - No pathogens recovered,
[Confirmed](#): 21
[inconclusive](#): 25
[Not Detected](#): 3
[Suspected](#): 3

- 1 - canna rust,
[Confirmed](#): 1

- 1 - , *Coleophoma* sp.
[Confirmed](#): 1

- 1 - , *Pseudomonas maculicola*
[Suspected](#): 1

- 8 - Nutrient Deficiency,
[Suspected](#): 8

- 2 - Unknown virus,
[Suspected](#): 2

- 3 - Jumping oak gall wasp, Cydnidae *Neuropterus saltatorius*
[Confirmed](#): 3

- 1 - Growth cracks, Abiotic
[Suspected](#): 1

- 1 - Unidentified bacterium,
[Confirmed](#): 1

- 3 - Cold injury, Abiotic
[Confirmed](#): 2
[Suspected](#): 1

- 5 - Maple Anthracnose, *Aureobasidium* (*Gloeosporium*) *apocryptum*
[Confirmed](#): 4
[Suspected](#): 1

- 1 - Anthracnose, *Colletotrichum* sp./spp.
[Confirmed](#): 1

- 4 - Anthracnose, *Colletotrichum orbiculare*
[Confirmed](#): 4

- 2 - Azalea Anthracnose, *Colletotrichum azaleae*
[Confirmed](#): 1
[Suspected](#): 1

Samples by Pest

- 1 - Anthracnose, *Colletotrichum trichellum*
[Confirmed](#): 1
- 18 - Dogwood Anthracnose, *Discula destructiva*
[Confirmed](#): 16
[Suspected](#): 2
- 2 - Anthracnose, *Elsinoe* sp./spp.
[Confirmed](#): 2
- 2 - Dogwood Spot Anthracnose, *Elsinoe corni*
[Confirmed](#): 2
- 5 - Anthracnose, *Gloeosporium* sp./spp.
[Confirmed](#): 5
- 1 - Anthracnose, *Glomerella* sp./spp.
[Confirmed](#): 1
- 2 - Euonymus Anthracnose, *Gloeosporium frigidum*
[Confirmed](#): 2
- 1 - Anthracnose, *Glomerella* (*Colletotrichum*) *cingulata* (*gloeosporioides*)
[Confirmed](#): 1
- 1 - Anthracnose; Black Spot, *Stegophora* (*Gnomonia*) *ulmea*
[Confirmed](#): 1
- 6 - Anthracnose, *Colletotrichum graminicola*
[Confirmed](#): 5
[Suspected](#): 1
- 2 - Anthracnose, *Kabatiella* (*Aureobasidium*) *apocrypta* (*apocryptum*)
[Confirmed](#): 1
[Suspected](#): 1
- 4 - Anthracnose Stalk Rot, *Glomerella* (*Colletotrichum*) *graminicola*
[Confirmed](#): 4
- 1 - Ascochyta Blight, *Ascochyta gossypii*
[Confirmed](#): 1
- 5 - Botrytis Blight, *Botrytis* sp./spp.
[Confirmed](#): 4
[Suspected](#): 1
- 1 - Cylindrocladium Blight, *Cylindrocladium* sp./spp.
[Confirmed](#): 1
- 1 - Leaf and Twig Blight, *Cylindrosporium kerriae*
[Confirmed](#): 1

Samples by Pest

- 5 - Phomopsis Blight, Phomopsis sp./spp.
[Confirmed](#): 5
- 4 - Phytophthora Blight, Phytophthora sp./spp.
[Confirmed](#): 3
[Suspected](#): 1
- 5 - Pythium Blight, Pythium sp./spp.
[Confirmed](#): 4
[Suspected](#): 1
- 2 - Brown Rot, Monilia sp./spp.
[Confirmed](#): 2
- 2 - Azalea Flower Blight, Ovulinia azaleae
[Confirmed](#): 2
- 21 - Brown Patch, Rhizoctonia sp./spp.
[Confirmed](#): 21
- 31 - Fire Blight, Erwinia amylovora
[Confirmed](#): 29
[Suspected](#): 2
- 1 - Cucurbit Gummy Stem Blight, Didymella (Ascochyta) bryoniae (cucumis)
[Confirmed](#): 1
- 1 - Alternaria Leaf Blight, Alternaria sp./spp.
[Confirmed](#): 1
- 2 - Arborvitae Leaf Blight, Didymascella thujina
[Confirmed](#): 2
- 1 - Yew Leaf; Twig Blight, Dothiora (Sphaerulina) taxicola
[Confirmed](#): 1
- 3 - Needle Blight, Cercospora (pseudocercospora) juniperi
[Confirmed](#): 3
- 1 - Dothistroma Needle Blight, Dothistroma sp./spp.
[Confirmed](#): 1
- 2 - Brown Spot Needle Blight, Mycosphaerella dearnessii
[Confirmed](#): 1
[Suspected](#): 1
- 7 - Southern Blight, Athelia (Corticium) (ana. Sclerotium) rolfsii
[Confirmed](#): 6
[Suspected](#): 1

Samples by Pest

- 2 - Spur Blight, *Phoma* sp./spp.
[Confirmed](#): 2
- 1 - Botrytis Leaf; Stem Blight, *Botryotinia* (*Botrytis*) *fuckeliana* (*cinerea*)
[Confirmed](#): 1
- 16 - Spring Dead Spot, *Ophiosphaerella* sp./spp.
[Confirmed](#): 14
[Suspected](#): 2
- 2 - Cercospora Stem Blight, *Cercospora* sp./spp.
[Confirmed](#): 2
- 2 - Aerial Blight, *Rhizoctonia* sp./spp.
[Confirmed](#): 2
- 33 - Large Patch, *Rhizoctonia solani*
[Confirmed](#): 33
- 3 - Cyclaneusma Needle Cast, *Cyclaneusma* (*Naemacylus*) *minus* (*minor*)
[Confirmed](#): 3
- 1 - Needle Cast, *Rhabdocline* sp./spp.
[Confirmed](#): 1
- 12 - Rhizosphaera Needle Cast, *Rhizosphaera* sp./spp.
[Confirmed](#): 10
[Suspected](#): 2
- 2 - Twig Blight, *Diaporthe* sp./spp.
[Confirmed](#): 2
- 3 - Juniper Twig Blight, *Phomopsis juniperovora*
[Confirmed](#): 3
- 1 - Ascochyta Ray Blight, *Didymella* (*mycosphaerella*) *ligulicola*
[Confirmed](#): 1
- 41 - Bacterial Leaf Scorch, *Xylella fastidiosa*
[Confirmed](#): 32
[Suspected](#): 9
- 1 - Bacterial Panicle Blight, *Burkholderia* sp./spp.
[Suspected](#): 1
- 3 - Bacterial Blight, *Pseudomonas syringae* *syringae*
[Confirmed](#): 2
[Suspected](#): 1

Samples by Pest

3 - Soybean Bacterial Blight, *Pseudomonas syringae* pv. *glycinea*

[Confirmed](#): 1

[Not Detected](#): 2

1 - Grapevine Bacterial Blight, *Xylophilis ampelina*

[Suspected](#): 1

1 - Bacterial Blight, *Xanthomonas campestris* phaseoli

[Confirmed](#): 1

1 - Leaf Blotch, *Briosia ampelophaga*

[Confirmed](#): 1

1 - Onion Purple (Brown) Blotch, *Alternaria porri*

[Confirmed](#): 1

1 - Coryneum Canker, *Seiridium* sp./spp.

[Confirmed](#): 1

1 - Fig Canker, Dieback, *Diaporthe* (*Phomopsis*) *eres* (*oblonga*)

[Confirmed](#): 1

1 - Glomerella Canker, *Glomerella* (*Colletotrichum*) *cingulata* (*gloeosporioides*)

[Confirmed](#): 1

1 - Canker, *Hypoxyton* sp./spp.

[Suspected](#): 1

3 - Hypoxyton Canker, *Entoleuca* (*Hypoxyton*) *mammata* (*blakei*)

[Suspected](#): 3

1 - Leucostoma Canker, *Leucostoma* sp./spp.

[Suspected](#): 1

2 - Phomopsis Canker, *Phomopsis* sp./spp.

[Confirmed](#): 2

4 - Boxwood Canker, *Volutella buxi*

[Confirmed](#): 4

1 - Canker, *Seiridium* sp./spp.

[Confirmed](#): 1

1 - Maple Canker, *Stegosporium* sp./spp.

[Confirmed](#): 1

1 - Oak Strumella Canker, *Strumella coryneoida*

[Confirmed](#): 1

Samples by Pest

- 24 - Cypress Canker, *Seiridium cardinale*
[Confirmed](#): 15
[Suspected](#): 9

- 2 - Seiridium Canker, *Lepteutypa (Seiridium) cupressi (unicorne)*
[Confirmed](#): 2

- 8 - Canker, Unspecified causal
[Confirmed](#): 4
[inconclusive](#): 2
[Suspected](#): 2

- 1 - Dieback; Canker, *Eutypa sp./spp.*
[Confirmed](#): 1

- 2 - Dieback; Canker, *Nectria sp./spp.*
[Confirmed](#): 2

- 9 - Pestalotia Dieback, *Pestalotia sp./spp.*
[Confirmed](#): 9

- 2 - Blueberry Dieback, *Diaporthe (Phomopsis) vaccinii*
[Confirmed](#): 2

- 1 - Dieback, *Sclerotinia sclerotiorum*
[Confirmed](#): 1

- 1 - Magnolia Dieback, *Shearia fusa*
[Confirmed](#): 1

- 2 - Willow Black Canker, *Glomerella (Phyalospora) miyabeana*
[Confirmed](#): 2

- 9 - Rose Brown Canker, *Cryptosporella umbrina*
[Confirmed](#): 9

- 1 - Rose Band Canker, *Coniothyrium wernsdorffiae*
[Confirmed](#): 1

- 2 - Pestalotia Twig Dieback, *Pestalotia funerea*
[Confirmed](#): 2

- 26 - Bacterial Canker, *Clavibacter michiganensis michiganensis*
[Confirmed](#): 24
[Suspected](#): 2

- 3 - Bacterial Canker, *Pseudomonas syringae*
[Confirmed](#): 3

- 2 - Bacterial Canker, *Pseudomonas syringae syringae*
[Confirmed](#): 1
[Suspected](#): 1

Samples by Pest

- 5 - Black Knot, *Apiosporina morbosa*
[Confirmed](#): 5
- 4 - Crown Gall, *Agrobacterium tumefaciens*
[Confirmed](#): 3
[Suspected](#): 1
- 3 - Oak Leaf Blister, *Taphrina caerulescens*
[Confirmed](#): 3
- 2 - Peach Leaf Curl, *Taphrina deformans*
[Confirmed](#): 2
- 1 - Scab, *Cladosporium* sp./spp.
[Confirmed](#): 1
- 3 - Cucumber Scab; Gummosis, *Cladosporium cucumerinum*
[Confirmed](#): 2
[Suspected](#): 1
- 4 - Pecan; Hickory Scab, *Cladosporium caryigenum*
[Confirmed](#): 4
- 1 - Scab, *Fusarium* sp./spp.
[Confirmed](#): 1
- 4 - Apple Scab, *Venturia (Spilocaea) inaequalis (pomi)*
[Confirmed](#): 2
[Suspected](#): 2
- 2 - Double Blossom (Rosette), *Cercospora rubi*
[Confirmed](#): 2
- 3 - Soybean Bacterial Pustule, *Xanthomonas campestris* pv. *glycines*
[Confirmed](#): 3
- 1 - Leaf and Flower Gall, *Exobasidium azaleae*
[Confirmed](#): 1
- 2 - Phomopsis Gall, *Phomopsis* sp./spp.
[Confirmed](#): 1
[Suspected](#): 1
- 1 - Branch Knot, *Sphaeropsis tumefaciens*
[Confirmed](#): 1
- 1 - Downy Mildew, *Plasmopara* sp./spp.
[Confirmed](#): 1
- 1 - Bean Downy Mildew, *Phytophthora nicotianae* var. *parasitica*
[Confirmed](#): 1

Samples by Pest

1 - Cucurbit Downy Mildew, *Pseudoperonospora cubensis*

[Confirmed](#): 1

1 - Graminicola Downy Mildew, *Sclerospora graminicola*

[Confirmed](#): 1

6 - Powdery Mildew, *Erysiphe* sp./spp.

[Confirmed](#): 5

[Suspected](#): 1

1 - Powdery Mildew, *Microsphaera* sp./spp.

[Confirmed](#): 1

1 - Powdery Mildew, *Sphaerotheca* sp./spp.

[Confirmed](#): 1

1 - Crazy Top Downy Mildew, *Sclerophthora macrospora*

[Suspected](#): 1

2 - Oak Decline, Complex of Biotic; Abiotic Factors

[Suspected](#): 2

3 - Oak Wilt, *Ceratocystis (Chalara) fagacearum* (quercina)

[Suspected](#): 3

11 - Fusarium Wilt Complex, *Fusarium* sp./spp.

[Confirmed](#): 10

[Suspected](#): 1

1 - Clematis Wilt; Leaf Spot, *Phoma clematidina*

[Confirmed](#): 1

19 - Verticillium Wilt, *Verticillium* sp./spp.

[Confirmed](#): 3

[Not Detected](#): 6

[Suspected](#): 10

1 - Phytoplasma Disease, Phytoplasma

[Suspected](#): 1

1 - Onion Smudge, *Colletotrichum circinans*

[Confirmed](#): 1

1 - Fusarium Yellow, *Fusarium oxysporum*

[Suspected](#): 1

1 - Peach X Disease, Peach X Disease Phytoplasma

[Suspected](#): 1

1 - Root Decline, *Chaetomella raphigera*

[Suspected](#): 1

Samples by Pest

17 - Unknown, General

[inconclusive](#): 15

[Not Detected](#): 1

[Suspected](#): 1

8 - Peach Bacterial Gummosis, *Pseudomonas syringae*

[Confirmed](#): 6

[Suspected](#): 2

2 - Cucurbit Bacterial Wilt, *Erwinia tracheiphila*

[Confirmed](#): 1

[Suspected](#): 1

2 - Leaf Mold, *Fulvia fulva*

[Confirmed](#): 2

1 - Slime Mold, Class myxomycetes; myxomycota

[Suspected](#): 1

2 - Sooty Mold, Various fungi

[Confirmed](#): 1

[inconclusive](#): 1

1 - Storage Mold, *Aspergillus* sp./spp.

[Suspected](#): 1

1 - White Mold, *Sclerotinia* sp./spp.

[Suspected](#): 1

2 - White Mold (Stem Rot), *Sclerotinia sclerotiorum*

[Confirmed](#): 2

1 - Erwinia Slime Flux, *Erwinia* sp./spp.

[Suspected](#): 1

1 - Belly Rot, *Rhizoctonia solani*

[Confirmed](#): 1

9 - Bitter Rot, *Colletotrichum* sp./spp.

[Confirmed](#): 8

[Suspected](#): 1

1 - Black Rot, *Guignardia bidwellii*

[Confirmed](#): 1

1 - Black Rot, *Xanthomonas campestris*

[Confirmed](#): 1

1 - Black Root Rot, *Thielaviopsis (Chalara) basicola (elegans)*

[Confirmed](#): 1

Samples by Pest

1 - Brown Rot, *Monilinia* sp./spp.

[Confirmed](#): 1

5 - Charcoal Rot, *Macrophomina* sp./spp.

[Confirmed](#): 4

[Suspected](#): 1

20 - Charcoal Rot, *Macrophomina phaseolina*

[Confirmed](#): 20

1 - Rhubarb Crown Rot, *Erwinia rhapontici*

[Suspected](#): 1

1 - Fusarium Crown Rot, *Fusarium* sp./spp.

[Suspected](#): 1

1 - Sclerotinia Crown Rot, *Sclerotinia* sp./spp.

[Confirmed](#): 1

1 - Fruit Rot and Berry Speckle, *Botryosphaeria (Phyllosticta) vaccinii (elongata)*

[Confirmed](#): 1

1 - Phytophthora Fruit Rot, *Phytophthora cactorum*

[Confirmed](#): 1

6 - Mummy Berry, *Monilinia vaccinii-corymbosi*

[Confirmed](#): 5

[Suspected](#): 1

1 - Shoestring; Mushroom Root Rot, *Armillaria mellea*

[Confirmed](#): 1

10 - Fusarium Root Rot, *Fusarium* sp./spp.

[Confirmed](#): 3

[Suspected](#): 7

20 - Phytophthora Root Rot, *Phytophthora* sp./spp.

[Confirmed](#): 15

[Suspected](#): 5

4 - Pythium Root Rot, *Pythium* sp./spp.

[Confirmed](#): 3

[Suspected](#): 1

10 - Rhizoctonia Root Rot, *Rhizoctonia* sp./spp.

[Confirmed](#): 10

2 - Diplodia Root; Stalk Rot, *Diplodia* sp./spp.

[Confirmed](#): 2

1 - Sapwood Rot, *Phellinus (Fomes) rimosus*

[Suspected](#): 1

Samples by Pest

- 1 - Bacterial Stem Rot, *Erwinia carotovora carotovora*
[Suspected](#): 1

- 7 - Rhizoctonia Stem Rot, *Rhizoctonia* sp./spp.
[Confirmed](#): 6
[Suspected](#): 1

- 1 - Choanephora Wet Rot, *Choanephora* sp./spp.
[Confirmed](#): 1

- 1 - Crown and Root Rot, *Phytophthora* sp./spp.
[Confirmed](#): 1

- 3 - Rhizoctonia Crown and Root Rot, *Thanatephorus* (*Rhizoctonia*) *cucumeris* (*solani*)
[Confirmed](#): 3

- 2 - Grape Black Rot, *Guignardia* (*Phyllosticta*) *bidwellii* (*ampelicida*)
[Confirmed](#): 2

- 46 - Take-all, *Gaeumannomyces* sp./spp.
[Confirmed](#): 43
[Suspected](#): 3

- 1 - Take All, *Gaeumannomyces graminis avenae*
[Suspected](#): 1

- 1 - Leather Rot (Strawberry), *Phytophthora cactorum*
[Suspected](#): 1

- 2 - Pythium Fruit Rot; Cottony Leak, *Pythium* sp./spp.
[Confirmed](#): 2

- 1 - Wood Rot Fungus, *Ganoderma* sp./spp.
[Suspected](#): 1

- 1 - Bacterial Stalk Rot, *Erwinia* sp./spp.
[Confirmed](#): 1

- 3 - Bacterial Soft Rot, *Erwinia* sp./spp.
[Confirmed](#): 3

- 1 - Bacterial Soft Rot, Unidentified Bacterium
[Confirmed](#): 1

- 3 - Rust, *Gymnosporangium* sp./spp.
[Confirmed](#): 2
[Suspected](#): 1

- 701 - Australasian Soybean Rust, *Phakopsora pachyrhizi*
[Not Detected](#): 701

Samples by Pest

- 2 - Mallow Rust; Hollyhock Rust, *Puccinia malvacearum*
[Confirmed](#): 2

- 2 - Rust, *Puccinia zoysiae*
[Confirmed](#): 2

- 1 - Pine Needle Rust, *Coleosporium tussilaginis*
[Suspected](#): 1

- 2 - Orange Rust, *Gymnoconia nitens*
[Confirmed](#): 2

- 1 - Wheat Stripe Rust, *Puccinia striiformis*
[Confirmed](#): 1

- 5 - Common Corn Rust, *Puccinia sorghi*
[Confirmed](#): 5

- 1 - Damping Off, *Fusarium* sp./spp.
[Confirmed](#): 1

- 3 - Damping Off, *Pythium* sp./spp.
[Confirmed](#): 3

- 6 - Rhizoctonia Damping Off, *Rhizoctonia* sp./spp.
[Confirmed](#): 6

- 1 - Corn (Common) Smut, *Ustilago maydis*
[Confirmed](#): 1

- 1 - Grass Head Smut, *Ustilago bullata*
[Confirmed](#): 1

- 1 - Loose Smut (Wheat; Rye), *Ustilago tritici*
[Confirmed](#): 1

- 1 - Leaf Spot, *Phyllosticta* sp./spp.
[Confirmed](#): 1

- 1 - Bipolaris Leaf Spot, *Bipolaris* sp./spp.
[Confirmed](#): 1

- 2 - Angular Leaf Spot, *Cercospora* sp./spp.
[Confirmed](#): 1
[Suspected](#): 1

- 6 - Cucurbit Angular Leaf Spot, *Pseudomonas syringae* pv. *lachrymans*
[Confirmed](#): 6

- 2 - Angular Leaf Spot, *Xanthomonas* sp./spp.
[Suspected](#): 2

Samples by Pest

- 3 - Strawberry Angular Leaf Spot; A, *Xanthomonas fragariae*
[Confirmed](#): 3

- 1 - Japanese Pear Black Spot, *Alternaria kikuchiana*
[Confirmed](#): 1

- 4 - Black Spot (Rose), *Diplocarpon (Marssonina) rosae*
[Confirmed](#): 4

- 7 - Rice Blast, *Magnaporthe grisea*
[Confirmed](#): 7

- 1 - Rice Narrow Brown Leaf Spot, *Sphaerulina oryzina*
[Confirmed](#): 1

- 1 - Brown Spot, *Mycosphaerella (dothistroma)*
[Confirmed](#): 1

- 7 - Dollar Spot, *Sclerotinia (Lanzia and Moellerodiscus) homeocarpa (spp.)*
[Confirmed](#): 7

- 2 - Flyspeck, *Schizothyrium (ana. Zygothiala) pomi (jamaicensis)*
[Confirmed](#): 2

- 2 - Soybean Frogeye Leaf Spot, *Cercospora sojina*
[Confirmed](#): 2

- 1 - Gray Leaf Spot, *Magnaporthe (ana. Pyricularia) grisea*
[Confirmed](#): 1

- 2 - *Alternaria* Leaf Spot, *Alternaria sp./spp.*
[Confirmed](#): 2

- 10 - *Cercospora* Leaf Spot, *Cercospora sp./spp.*
[Confirmed](#): 10

- 1 - *Coniothyrium* Leaf Spot, *Coniothyrium sp./spp.*
[Confirmed](#): 1

- 6 - *Cercospora* Blight, *Cercospora sequoiae*
[Confirmed](#): 5
[Suspected](#): 1

- 10 - Azalea Leaf Spot, *Cercospora handelii*
[Confirmed](#): 9
[Suspected](#): 1

- 2 - Mulberry Leaf Spot, *Cercospora mori*
[Confirmed](#): 2

Samples by Pest

2 - Fungal Leaf Spot, *Cercospora hydrangeae*

[Confirmed](#): 1

[Suspected](#): 1

1 - Helminthosporium Leaf Spot, *Drechslera* sp./spp.

[Confirmed](#): 1

5 - Entomosporium Leaf Spot, *Diplocarpon* (*Entomosporium*) *mespili* (*maculatum*)

[Confirmed](#): 5

2 - Macrophoma Leaf Spot, *Macrophoma* sp./spp.

[Confirmed](#): 1

[Suspected](#): 1

2 - Leaf Spot, *Cercospora rosicola*

[Confirmed](#): 2

1 - Leaf Spot, *Pestalotia* (*Pestalotiopsis*) sp./spp.

[Confirmed](#): 1

2 - Phomopsis Leaf Spot, *Phomopsis* sp./spp.

[Confirmed](#): 2

2 - Phyllosticta Leaf Spot, *Phyllosticta* sp./spp.

[Confirmed](#): 2

7 - Phytophthora Leaf Spot, *Phytophthora* sp./spp.

[Confirmed](#): 7

1 - Blueberry Leaf Spot, *Diaporthe* (*Phomopsis*) *vaccinii*

[Confirmed](#): 1

2 - Septoria Leaf Spot, *Septoria* sp./spp.

[Confirmed](#): 2

6 - Tomato Septoria Leaf Spot, *Septoria lycopersici*

[Confirmed](#): 6

1 - Leaf Spot, *Tubakia dryina*

[Confirmed](#): 1

1 - Nailhead Spot, *Alternaria tomato*

[Confirmed](#): 1

1 - Lichenized Algal Leaf Spot, *Strigula* sp./spp.

[Confirmed](#): 1

5 - Tomato Bacterial Speck, *Pseudomonas tomato*

[Confirmed](#): 5

1 - Sooty Stripe, *Ramulispora sorghi*

[Confirmed](#): 1

Samples by Pest

- 2 - Soybean Target Spot, *Corynespora cassiicola*
[Confirmed](#): 2

- 2 - Daylily Leaf Streak, *Collecephalus hemerocallidis*
[Confirmed](#): 2

- 1 - Narrow Brown Leaf Spot, *Cercospora oryzae*
[Confirmed](#): 1

- 1 - White Spot, *Cercospora* sp./spp.
[Confirmed](#): 1

- 1 - Sharp Eyespot, *Rhizoctonia cerealis*
[Confirmed](#): 1

- 19 - Southern Blight, *Sclerotium rolfsii*
[Confirmed](#): 18
[Suspected](#): 1

- 3 - Algal Leaf Spot, *Cephaleuros* sp./spp.
[Confirmed](#): 2
[Suspected](#): 1

- 1 - Bacterial Speck, *Pseudomonas syringae* PV. tomato
[Confirmed](#): 1

- 7 - Tomato; Pepper Bacterial Spot, *Xanthomonas campestris* pv. *vescatoria*
[Confirmed](#): 6
[Suspected](#): 1

- 6 - Bacterial Leaf Spot, *Pseudomonas* sp./spp.
[Confirmed](#): 6

- 2 - Bacterial Leaf Spot, *Pseudomonas syringae*
[Confirmed](#): 2

- 9 - Bacterial Leaf Spot, Uncharacterized bacteria
[Confirmed](#): 9

- 4 - Bacterial Leaf Spot, *Xanthomonas* sp./spp.
[Confirmed](#): 4

- 1 - Bacterial Leaf Spot, *Xanthomonas campestris campestris*
[Suspected](#): 1

- 1 - Ivy Bacterial Leaf Spot, *Xanthomonas campestris* pv. *hederae*
[Confirmed](#): 1

- 10 - Bacterial Leaf Spot, *Xanthomonas campestris pruni*
[Confirmed](#): 7
[Suspected](#): 3

Samples by Pest

- 3 - Bean Brown Spot Blight, *Pseudomonas syringae*
[Confirmed](#): 3

- 1 - Arabis Mosaic, Arabis Mosaic Virus (ARMV)
[Confirmed](#): 1

- 1 - Camellia Yellow Mottle, Camellia Yellow Mottle Virus
[Suspected](#): 1

- 50 - Cucumber Mosaic, Cucumber Mosaic Virus (CMV)
[Confirmed](#): 50

- 66 - Hosta Virus X, Hosta Virus X (HVX)
[Confirmed](#): 11
[Not Detected](#): 55

- 1 - Odontoglossum Ringspot, Odontoglossum Ringspot Virus (ORSV)
[Confirmed](#): 1

- 9 - Squash Mosaic, Squash Mosaic Virus (SQMV)
[Confirmed](#): 9

- 4 - Tobacco Mosaic, Tobacco Mosaic Virus (TMV)
[Confirmed](#): 4

- 6 - Tomato Mosaic, Tobacco Mosaic Virus (TMV)
[Confirmed](#): 6

- 4 - Tomato Spotted Wilt, Tomato Spotted Wilt Virus (TSWV)
[Confirmed](#): 4

- 1 - Watermelon Mosaic, Watermelon Mosaic Virus (WMV)
[Confirmed](#): 1

- 2 - Wheat Spindle Streak Mosaic, Wheat Spindle Streak Mosaic Virus (WSSMV)
[Confirmed](#): 2

- 1 - Unspecified Pathology, *Sclerophoma* sp./spp.
[Confirmed](#): 1

- 2 - Inconclusive Sample, Unspecified causal
[inconclusive](#): 2

- 23 - Mites, Order Acari
[Confirmed](#): 22
[Suspected](#): 1

- 2 - Eriophyid Mites, Family Eriophyidae
[Confirmed](#): 2

- 1 - Walnut Blister Mite, *Eriophyes erinea*
[Confirmed](#): 1

Samples by Pest

- 1 - Grape Erineum Mite, Colomerus vitis
[Confirmed](#): 1
- 1 - Baldcypress Rust Mite, Epitrimerus taxodii
[Confirmed](#): 1
- 1 - Eriophyid Aculops Mites, Aculops sp./spp.
[Suspected](#): 1
- 2 - Broad Mite, Polyphagotarsonemus latus
[Confirmed](#): 2
- 26 - Spider Mites, Family Tetranychidae
[Confirmed](#): 24
[Suspected](#): 2
- 1 - Maple Spider Mite, Oligonychus aceris
[Confirmed](#): 1
- 1 - Arborvitae Spider Mite, Platytranychus thujae
[Confirmed](#): 1
- 1 - Juniper Bud Mite, Trisetacus juniperinus
[Confirmed](#): 1
- 2 - Thrips, Order Thysanoptera
[Confirmed](#): 2
- 4 - Thrips, Thrips sp./spp.
[Confirmed](#): 2
[Not Detected](#): 1
[Suspected](#): 1
- 1 - Roundheaded Wood Borers (Lhb), Family Cerambycidae
[Suspected](#): 1
- 1 - Elm Borer, Saperda tridentata
[Suspected](#): 1
- 1 - Soybean Stem Borer, Dectes texanus
[Confirmed](#): 1
- 2 - Cucumber Beetles, Subfamily Galerucinae
[Confirmed](#): 1
[Suspected](#): 1
- 1 - Asparagus Beetle, Crioceris asparagi
[Confirmed](#): 1
- 1 - Plum Curculio, Conotrachelus nenuphar
[Confirmed](#): 1

Samples by Pest

5 - White Grubs (Scarab Beetles), Family Scarabaeidae

[Confirmed](#): 5

3 - Bark Beetles; Ambrosia Beetles, Family Scolytidae

[Confirmed](#): 3

1 - Spruce Beetle (Sb), *Dendroctonus rufipennis*

[Suspected](#): 1

1 - Oak Bark Beetle, *Pseudopityophthorus pruinus*

[Confirmed](#): 1

1 - Dipterous Leafminers, General

[Confirmed](#): 1

1 - Leafminer Flies, Family Agromyzidae

[Confirmed](#): 1

1 - Holly Leafminer, *Phytomyza ilicis*

[Confirmed](#): 1

1 - Rose Midge, *Dasineura rhodophaga*

[Suspected](#): 1

2 - Squash Bug, *Anasa tristis*

[Confirmed](#): 1

[Suspected](#): 1

1 - Chinch Bug Complex, *Blissus* sp./spp.

[Suspected](#): 1

1 - Rice Stink Bug, *Oebalus pugnax*

[Confirmed](#): 1

9 - Stinkbug, *Thyanta punctiventris*

[Confirmed](#): 6

[Suspected](#): 3

1 - Oak Lace Bug, *Corythucha arcuata*

[Confirmed](#): 1

12 - Azalea Lace Bug, *Stephanitis pyrioides*

[Confirmed](#): 12

1 - Lantana Lace Bug, *Teleonemia scrupulosa*

[Confirmed](#): 1

2 - Lacebug, *Stephanitis* sp./spp.

[Confirmed](#): 1

[Suspected](#): 1

Samples by Pest

15 - Scale Insects, Order homoptera

[Confirmed](#): 15

1 - Woolly Aphids, Families aphididae(part)

[Confirmed](#): 1

5 - Whiteflies, Family Aleyrodidae

[Confirmed](#): 5

4 - Aphids (Plant Lice), Family Aphididae

[Confirmed](#): 4

1 - Leafhoppers, Family Cicadellidae

[Confirmed](#): 1

2 - Southern Garden Leafhopper, Empoasca solana

[Confirmed](#): 2

2 - Cottony Maple Scale, Pulvinaria innumerabilis

[Confirmed](#): 2

1 - Juniper Scale, Carulaspis juniperi

[Confirmed](#): 1

1 - Elm Scurfy Scale, Chionaspis americana

[Confirmed](#): 1

1 - White Peach Scale, Pseudaulacaspis pentagona

[Confirmed](#): 1

7 - Euonymus Scale, Unaspis euonymi

[Confirmed](#): 7

1 - Armored Scale, Quernaspis quercus

[Suspected](#): 1

1 - Azalea Bark Scale, Eriococcus azaleae

[Confirmed](#): 1

1 - Treehoppers, Family Membracidae

[Suspected](#): 1

3 - Phylloxerans, Family Phylloxeridae

[Confirmed](#): 3

6 - Pecan Leaf Phylloxera, Phylloxera notabilis

[Confirmed](#): 6

3 - Grape Phylloxera, Daktulosphaira vitifoliae

[Confirmed](#): 3

Samples by Pest

- 1 - Persimmon Psylla, Trioza diospyri
[Confirmed](#): 1

- 1 - Hackberry Buttongall Maker, Pachypsylla umbilicus
[Confirmed](#): 1

- 1 - Hibiscus Sawfly (Hollyhock), Atomacera decepta
[Confirmed](#): 1

- 3 - Gall Wasps, Family Cynipidae
[Confirmed](#): 3

- 1 - Oak Apple Galls, Family Cynipidae
[Confirmed](#): 1

- 2 - Horned Oak Gall Wasp, Callirhytis cornigera
[Confirmed](#): 2

- 5 - Jumping Bullet Gall Wasp, Neuroterus saltatorius
[Confirmed](#): 5

- 1 - Cynipid Gall Wasp, Neuroterus sp./spp.
[Confirmed](#): 1

- 1 - Scarlet Oak Sawfly, Caliroa quercuscoccineae
[Confirmed](#): 1

- 1 - Juniper Gelechiid Moth, Stenolechia bathrodyas
[Suspected](#): 1

- 1 - Fall Cankerworm, Alsophila pometaria
[Confirmed](#): 1

- 1 - Rose Budworm, Pyrrhia umbra
[Suspected](#): 1

- 2 - Bagworm Moths, Family Psychidae
[Confirmed](#): 2

- 4 - Bagworm, Thyridopteryx ephemeraeformis
[Confirmed](#): 4

- 1 - Lesser Canna Leafroller, Geshna cannalis
[Confirmed](#): 1

- 3 - Clearwing Borers, Family Sesiidae
[Confirmed](#): 1
[Suspected](#): 2

Samples by Pest

- 3 - Squash Vine Borer (Svb), *Melittia cucurbitae*
[Confirmed](#): 2
[Suspected](#): 1

- 7 - Dogwood Borer (Dwb), *Synanthedon scitula*
[Confirmed](#): 4
[Suspected](#): 3

- 1 - Southern Squash Vine Borer, *Melittia calabaza*
[Suspected](#): 1

- 1 - Tomato Hornworm, *Manduca quinquemaculata*
[Confirmed](#): 1

- 1 - Oak Leafroller, *Archips semiferana*
[Confirmed](#): 1

- 1 - Omnivorous Leafroller (Olr), *Platynota stultana*
[Suspected](#): 1

- 1 - Tortricid Leafrollers, Family Tortricidae
[Confirmed](#): 1

- 1 - Codling Moth (Cm), *Cydia pomonella*
[Confirmed](#): 1

- 1 - Soybean Cyst Nematode (Scn), *Heterodera glycines*
[Confirmed](#): 1

- 8 - Root Knot Nematodes, *Meloidogyne* sp./spp.
[Confirmed](#): 8

- 1 - Redvine, *Brunnichia ovata*
[Confirmed](#): 1

- 3 - Lichens, Lichenes
[Confirmed](#): 3

- 6 - Chemical Injury, Abiotic disorder
[Confirmed](#): 2
[Suspected](#): 4

- 23 - Chemical; Environmental Injury, Abiotic disorder
[Suspected](#): 23

- 27 - Herbicide Injury; Exposure, Abiotic disorder
[Confirmed](#): 2
[Suspected](#): 25

Samples by Pest

45 - Herbicide Drift, Abiotic disorder

[Confirmed](#): 1

[Not Detected](#): 1

[Suspected](#): 43

6 - Glyphosate Injury, Abiotic disorder

[Confirmed](#): 3

[Suspected](#): 3

36 - 2-4-d Injury, Abiotic disorder

[Confirmed](#): 2

[Suspected](#): 34

2 - Mechanical Damage, Abiotic disorder

[Confirmed](#): 1

[Suspected](#): 1

1 - Root Damage, Abiotic disorder

[Suspected](#): 1

28 - Insect Damage, Abiotic disorder

[Confirmed](#): 20

[Suspected](#): 8

2 - Nematode Damage, Abiotic disorder

[Suspected](#): 2

2 - Lightning Damage, Abiotic disorder

[Suspected](#): 2

1 - Cultural/Environmental Problem, Abiotic disorder

[Suspected](#): 1

5 - Sunscald, Abiotic disorder

[Confirmed](#): 1

[Suspected](#): 4

1 - Phototoxicity, Abiotic disorder

[Suspected](#): 1

4 - Nutritional Pathology, Abiotic disorder

[Suspected](#): 4

8 - Nutritional Deficiency, Abiotic disorder

[Suspected](#): 8

1 - Site Disturbance, Abiotic disorder

[Suspected](#): 1

1 - Dense Thatch Layer, Abiotic disorder

[Confirmed](#): 1

Samples by Pest

1 - Temperature Induced Path., Abiotic disorder

[Confirmed](#): 1

2 - Frost; Cold Damage, Abiotic disorder

[Suspected](#): 2

3 - Scorch, Abiotic disorder

[Confirmed](#): 1

[Suspected](#): 2

8 - High Temperature Damage, Abiotic disorder

[Suspected](#): 8

12 - Winter Injury, Abiotic disorder

[Confirmed](#): 1

[Suspected](#): 11

52 - Environmental Stress; Problem, Abiotic disorder

[Confirmed](#): 5

[inconclusive](#): 2

[Not Detected](#): 1

[Suspected](#): 44

11 - Drought Stress Damage, Abiotic disorder

[Suspected](#): 11

1 - Yellow Shoulder; Water Imbalan, Abiotic disorder

[Suspected](#): 1

5 - Oedema; Edema, Abiotic disorder

[Confirmed](#): 5

4 - Physiological Responses, Abiotic disorder

[Confirmed](#): 1

[Suspected](#): 3

1 - Decline; Dieback, Abiotic disorder

[Suspected](#): 1

6 - Natural Senescence, Abiotic disorder

[Confirmed](#): 1

[Suspected](#): 5

1 - Bark Splitting, Abiotic disorder

[Suspected](#): 1

2 - Nitrogen Deficiency, Abiotic disorder

[Suspected](#): 2

3 - Magnesium Deficiency, Abiotic disorder

[Suspected](#): 3

Samples by Pest

- 1 - Calcium Deficiency, Abiotic disorder
[Suspected](#): 1

- 3 - Manganese Toxicity, Abiotic disorder
[Suspected](#): 3

- 66 - Insufficient Sample, Identification Analysis
[Confirmed](#): 1
[inconclusive](#): 65

- 7 - Additional Sample Requested, Identification Analysis
[Confirmed](#): 2
[inconclusive](#): 5

- 1 - Undetermined Injury or Pest, Identification Analysis
[Suspected](#): 1

- 9 - Adequate Sample, Identification Analysis
[Confirmed](#): 5
[inconclusive](#): 1
[Suspected](#): 3

- 36 - No Pathogen Found, No-pathogen-found
[Confirmed](#): 18
[inconclusive](#): 17
[Suspected](#): 1

- 2 - Excessive Water, Abiotic disorder
[Suspected](#): 2

- 4 - Hail Damage, Abiotic disorder
[Confirmed](#): 2
[Suspected](#): 2

- 1 - Root Rot, Unidentified Agent
[Suspected](#): 1

- 5 - Herbicide Carryover, Abiotic disorder
[Confirmed](#): 1
[Suspected](#): 4

- 1 - Sulfur Deficiency, Abiotic disorder
[Suspected](#): 1

- 3 - Blossom End Rot, Abiotic disorder
[Confirmed](#): 2
[Suspected](#): 1

- 2 - Poor pollination, Abiotic disorder
[Confirmed](#): 1
[Suspected](#): 1

Samples by Pest

7 - Phytophthora Canker, Phytophthora sp./spp.

[Confirmed](#): 5

[Not Detected](#): 1

[Suspected](#): 1

1 - Potyvirus Group, Potyvirus Group

[Confirmed](#): 1

3 - Plant Identification, Identification analysis

[Confirmed](#): 3

1 - Leaf Blight, Various Fungi

[Confirmed](#): 1

17 - Abnormal Root Development, Unidentified Agent

[inconclusive](#): 1

[Suspected](#): 16

1 - Mold; Mildew, Penicillium sp./spp.

[Confirmed](#): 1

1 - Bacterial Wilt, Ralstonia solanacearum

[Confirmed](#): 1

2 - Root Rot, Various Fungi sp./spp.

[Suspected](#): 2

2 - Bacterial Wetwood; Slime Flux, Various Pathogens

[Suspected](#): 2

4 - Viruses, Viruses

[Not Detected](#): 2

[Suspected](#): 2

1 - Fig Mosaic, Fig Mosaic Virus (FM)

[Suspected](#): 1

1 - Potexvirus Group, Potexvirus Group

[Confirmed](#): 1

1 - Yellow-bellied Sapsucker, Sphyrapicus varius

[Confirmed](#): 1

3 - Dogwood Powdery Mildew, Erysiphe pulchra

[Confirmed](#): 3

1 - Bacterial Canker, Mixed bacterial species

[Confirmed](#): 1

1 - Sycamore Anthracnose, Apiognomonina (Gnomonia) (ana. Discula) veneta (platani)

[Confirmed](#): 1

Samples by Pest

- 4 - Soybean Anthracnose, *Glomerella (Colletotrichum) glycines (destructivum)*
[Confirmed](#): 4
- 1 - Phomopsis Canker and Twig Blight, *Diaporthe (Phomopsis) vaccinii*
[Confirmed](#): 1
- 3 - Bacterial Leaf Blight, *Pseudomonas sp./spp.*
[Confirmed](#): 2
[Suspected](#): 1
- 1 - Strumella Canker, *Urnula (ana. Strumella) craterium (coryneoida)*
[Suspected](#): 1
- 4 - Pitch Canker, *Gibberella (Fusarium) sp./spp.*
[Confirmed](#): 1
[Suspected](#): 3
- 2 - Peach Scab, *Venturia (Cladosporium) carpophila (carpophilium)*
[Confirmed](#): 2
- 3 - Oak Powdery Mildew, *Erysiphe (Oidium) alphitoides*
[Confirmed](#): 3
- 2 - Cucurbit Powdery Mildew, *Sphaerotheca (Oidium) fuliginea (erysiphoides)*
[Confirmed](#): 2
- 2 - Phoma Rot, *Phoma destructiva*
[Confirmed](#): 2
- 1 - Sheath Rot, *Sarocladium (Acrosylindrium) oryzae*
[Confirmed](#): 1
- 1 - Blast, *Spermospora subulata*
[Confirmed](#): 1
- 2 - Septoria Leaf and Cane Spot, *Mycosphaerella (ana. Septoria) rubi*
[Confirmed](#): 2
- 7 - Septoria Leaf Spot, *Septoria lycopersici*
[Confirmed](#): 7
- 4 - Bacterial Leaf Spot, Unidentified Bacteria
[Confirmed](#): 4
- 1 - Rose Mosaic, *Prunus Necrotic Ringspot Virus (PNRSV)*
[Confirmed](#): 1
- 1 - Hickory Borer, *Goes pulcher*
[Suspected](#): 1

Samples by Pest

2 - Catface, Abiotic disorder

[Confirmed](#): 1

[Suspected](#): 1

2 - Yew Leaf; Twig Blight, Dothiora (Sphaerulina)(Sydowia) taxicola

[Confirmed](#): 2

1 - Yew Twig Blight, Pestalotiopsis (Pestalotia) funerea

[Confirmed](#): 1

1 - Yew Twig Blight, Phyllostictina hysterella

[Confirmed](#): 1

3 - Yellow Tuft, Sclerophthora (Phytophthora) macrospora

[Confirmed](#): 3

1 - Unspecified Pathology, Cladosporium sp./spp.

[Confirmed](#): 1

2 - Freeze; Frost; Cold Damage, Abiotic disorder

[Suspected](#): 2

1 - Alternaria Fruit Rot and Spot, Alternaria sp./spp.

[Confirmed](#): 1

1 - Anthracnose; Leaf Blight, Colletotrichum truncatum

[Confirmed](#): 1

1 - Leaf Blotch; Leaf Spot, Cladosporium sp./spp.

[Confirmed](#): 1

2 - Dieback; Canker; Twig Blight, Botryosphaeria sp./spp.

[Confirmed](#): 2

12 - Abnormal Root Development, Unknown Agent

[inconclusive](#): 1

[Suspected](#): 11

9 - Scale Insects, Order homoptera

[Confirmed](#): 9

1 - Lophodermium Needlecast, Lophodermium juniperinum

[Confirmed](#): 1

1 - Squash Vine Borer, Melittia cucurbitae

[Confirmed](#): 1

2 - Grape Anthracnose; Birds-eye Rot, Elsinoe (Sphaceloma) ampelina (ampelinum)

[Confirmed](#): 2

1 - Spot Anthracnose, Elsinoe veneta

[Confirmed](#): 1

Samples by Pest

- 5 - Botryosphaeria Canker; Dieback, Botryosphaeria (Diplodia) stevensii (mutila)
[Confirmed](#): 4
[Suspected](#): 1
- 2 - Stem Canker, Colletotrichum (teleo. Glomerella) sp./spp.
[Confirmed](#): 2
- 1 - Pine Beetles, Family Scolytidae
[Confirmed](#): 1
- 10 - Grapevine Pierce's Disease, Xylella fastidiosa
[Confirmed](#): 9
[Not Detected](#): 1
- 1 - Slugs, Mollusca; Gastropoda
[Suspected](#): 1
- 1 - Anthracnose; Leaf Spot, Colletotrichum trichellum
[Confirmed](#): 1
- 3 - Purple Seed-stain; Leaf Blight, Cercospora kikuchii
[Confirmed](#): 3
- 1 - Kabatina Tip Blight; Needle Blight, Kabatina juniperi
[Confirmed](#): 1
- 1 - Sooty Blotch (Fruit), Gloeodes pomigena
[Confirmed](#): 1
- 4 - Black Rot, Guignardia (Phyllosticta) bidwellii (ampellicida)
[Confirmed](#): 4
- 3 - Cedar-apple Rust, Gymnosporangium juniperi-virginianae
[Confirmed](#): 3
- 2 - Canker; Stem Blight; Dieback, Botryosphaeria dothidea
[Confirmed](#): 2
- 1 - Leaf Spot; Blight, Mycosphaerella (ana Ramularia) fragariae (brunnea)
[Confirmed](#): 1
- 1 - Apple Anthracnose; Bull's Eye, Pezicula (Cryptosporiopsis) malicorticis (curvispora)
[Confirmed](#): 1
- 1 - Needle Cast; Blight, Passalora (Cercospora) sequoiae
[Confirmed](#): 1
- 2 - Canker; Coral Spot; Blight; Dieback, Nectria (Tubercularia) cinnabarina (vulgaris)
[Confirmed](#): 2
- 1 - Rose Downy Mildew, Peronospora sparsa
[Suspected](#): 1

Samples by Pest

- 1 - Eonymus Powdery Mildew, Erysiphe (Oidium) eonymi-japonici
[Confirmed](#): 1
- 2 - Neocosmospora Root or Fruit Rot, Neocosmospora vasinfecta
[Confirmed](#): 2
- 1 - Various Fungi, Various Fungi
[inconclusive](#): 1
- 1 - Potyvirus Group, Potyvirus Group
[Not Detected](#): 1
- 1 - Phomopsis Tip Blight; Needle Blight, Phomopsis juniperovora
[Confirmed](#): 1
- 1 - Hydrangea Leaf Spot, Phoma (Phyllosticta) exigua (hydrangeae)
[Confirmed](#): 1
- 9 - Phytophthora Crown, Root and/or Stem Rot, Phytophthora sp./spp.
[Confirmed](#): 6
[Suspected](#): 3
- 4 - Southern Corn Rust, Puccinia polysora
[Confirmed](#): 1
[Not Detected](#): 3
- 1 - Rust; Leaf Rust, Puccinia zoysiae
[Confirmed](#): 1
- 12 - Pythium Blight; Cottony Blight, Pythium sp./spp.
[Confirmed](#): 12
- 2 - Pythium Root and/or Crown Rot, Pythium sp./spp.
[Confirmed](#): 2
- 3 - Pythium Damping Off, Pythium sp./spp.
[Confirmed](#): 3
- 2 - Brown Rot; Blossom and Twig Blight, Monilinia fructicola
[Confirmed](#): 2
- 1 - Southern Leaf Blight, Cochliobolus (Bipolaris) heterostrophus (maydis)
[Suspected](#): 1
- 21 - Large Patch, Thanatephorus (Rhizoctonia) cucumeris (solani)
[Confirmed](#): 19
[Suspected](#): 2
- 1 - white drupelet,
[Confirmed](#): 1

Samples by Pest

- 1 - Phomopsis Dieback; Tip Blight; Canker, Phomopsis sp./spp.
[Confirmed](#): 1
- 13 - Pythium Blight; Cottony Blight, Pythium sp./spp.
[Confirmed](#): 13
- 3 - Cane Blight; Canker, Leptosphaeria (Coniothyrium) coniothyrium (fuckelli)
[Confirmed](#): 3
- 2 - Spur Blight, Didymella (Phoma) applanata (rubicola)
[Confirmed](#): 2
- 1 - Aerial Blight, Phytophthora nicotianae
[Confirmed](#): 1
- 45 - Large Patch, Thanatephorus (Rhizoctonia) cucumeris (solani)
[Confirmed](#): 45
- 1 - Rhabdocline Needle Cast, Rhabdocline sp./spp.
[Suspected](#): 1
- 2 - Needle cast, Unknown Agent
[Confirmed](#): 1
[Suspected](#): 1
- 6 - Bacterial Blight, Xanthomonas oryzae
[Confirmed](#): 6
- 2 - Seiridium Canker, Lepteutypa (Seiridium) cupressi (unicorni)
[Confirmed](#): 2
- 3 - Phomopsis Dieback; Tip Blight; Canker, Phomopsis sp./spp.
[Confirmed](#): 3
- 3 - Pythium Root and/or Crown Rot, Pythium sp./spp.
[Confirmed](#): 3
- 1 - Soybean Phytophthora Root and Stem Rot, Phytophthora sojae
[Confirmed](#): 1
- 1 - Storage Rot, Rhizoctonia sp./spp.
[Confirmed](#): 1
- 2 - Phymatotrichum Root Rot, Phymatotrichopsis (Phymatotrichum) omnivora (omnivorum)
[Suspected](#): 2
- 1 - Iris Rhizome Rot, Botryotinia (Sclerotinia) convoluta
[Confirmed](#): 1
- 2 - Sheath Blight, Rhizoctonia sp./spp.
[Confirmed](#): 2

Samples by Pest

37 - Phytophthora Crown, Root and/or Stem Rot, Phytophthora sp./spp.

[Confirmed](#): 29

[Not Detected](#): 1

[Suspected](#): 7

2 - Pythium Damping Off, Pythium sp./spp.

[Confirmed](#): 2

1 - Hydrangea Leaf Spot, Phoma (Phyllosticta) exigua (hydrangeae)

[Confirmed](#): 1

1 - Dutch Elm Disease, Ophiostoma sp./spp.

[Suspected](#): 1

1 - Tip Blight/ Dieback, Sydowia (Sclerophoma) polyspora (pithyophila)

[Confirmed](#): 1

1 - Rhizoctonia Foliar/ Aerial/ Web Blight, Rhizoctonia solani

[Confirmed](#): 1

1 - Soybean Sudden Death Syndrome, Fusarium virguliforme

[Confirmed](#): 1

1 - Pecan Shuck Decline, Unidentified Agent

[Suspected](#): 1

1 - Boxwood Volutella Blight; Canker, Volutella buxi

[Confirmed](#): 1

5 - Abnormal Root Development, Unidentified Agent

[Suspected](#): 5

2 - Insect Damage, Unidentified Insect

[Confirmed](#): 2

1 - No Pathogen Found, No Pathogen Found

[Confirmed](#): 1

1 - No Pathogen Found, No Pathogen Found

[inconclusive](#): 1