

**ORNAMENTAL INSECT CONTROL FOR HOMEOWNERS  
OUTDOOR ORNAMENTAL INSECT CONTROL**

<b>Pest</b>	<b>Insecticide and Formulation*</b>	<b>Amount Formulation Per Gallon Spray</b>	<b>Remarks and Precautions</b>
<b>Aphid</b>	acephate		Follow label directions.
	acetamiprid		Follow label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	bifenthrin		Follow label directions.
	cyfluthrin		Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions.
	horticultural oils	1%-2%	Follow label directions.
	imidacloprid (Bayer Advanced)		Follow label directions.
	insecticidal soap	1%-2%	Thorough coverage is necessary. Spray must contact pests to be effective. Repeat spray three times at 5- to 7-day intervals.
	malathion (various)		Follow label directions.
pyrethrin/pyrethrum		Follow label directions.	
pyrethroids (various)	ready to use and concentrate	Follow label directions.	
<b>Azalea Leaf Miner</b>	acephate (Orthene TTO)	1 tsp	Per label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions.
	imidacloprid (Bayer Advanced)		
<b>Bagworm</b>	<i>Bacillus thuringiensis</i> (Biotrol WP, Thuricide, Sok-Bt)	2 tsp	Per label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	malathion (various)		Per label directions. In winter, hand-pick and burn if only a few bagworms are present.
	pyrethroids (various)		Per label directions.
<b>Beetles</b> (foliage feeding such as elm leaf beetle)	acetamiprid		Follow label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.

**ORNAMENTAL INSECT CONTROL FOR HOMEOWNERS  
OUTDOOR ORNAMENTAL INSECT CONTROL**

<b>Pest</b>	<b>Insecticide and Formulation*</b>	<b>Amount Formulation Per Gallon Spray</b>	<b>Remarks and Precautions</b>
<b>Beetles</b> (cont.) (foliage feeding such as elm leaf beetle)	carbaryl		Apply to foliage when injury first noted. Per label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%) imidacloprid (Bayer Advanced)		Follow label directions.
<b>Borers</b> (various kinds)	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%) imidacloprid (Bayer Advanced)		Dinotefuran is effective against flat-headed borers and some clear-winged moths only.  Dinotefuran is effective against flat-headed borers and some clear-winged moths only.
	permethrin	per label	Apply to trunk and lower limbs in spring as per label directions.
<b>Boxwood Leaf Miner</b>	acephate (Orthene, etc.) 75S	2 tsp	Per label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%) imidacloprid (Bayer Advanced)		Per label directions.
	malathion (various)		Per label directions.
<b>Caterpillars</b> (such as armyworm, cutworm and looper)	acephate		Follow label directions.
	acetamiprid		Not for cutworm control. Follow label directions.
	<i>Bacillus thuringiensis</i> (Dipel, Thuricide)		Follow manufacturer's suggestions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	bifenthrin	ready to use	Follow label directions.
	carbaryl		Follow label directions.
	cyfluthrin		Follow label directions.
pyrethroids (various)	ready to use and concentrate	Follow label directions.	
<b>Fungus gnats</b>	dinotefuran (Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions
<b>Holly Leaf Miner</b>	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%) imidacloprid (Bayer Advanced)		Per label directions.  Spray in late spring to kill larvae in mines. Per label directions.

**ORNAMENTAL INSECT CONTROL FOR HOMEOWNERS  
OUTDOOR ORNAMENTAL INSECT CONTROL**

<b>Pest</b>	<b>Insecticide and Formulation*</b>	<b>Amount Formulation Per Gallon Spray</b>	<b>Remarks and Precautions</b>
<b>Japanese Beetle (adults)</b>	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%)		Per label directions
	carbaryl (Sevin) 50WP	2 Tbsp	Treat as needed. Repeat applications as necessary.
	imidacloprid (Bayer Advanced)		Per label directions.
	malathion (various)		Per label directions.
<b>Lace Bug</b>	acephate (Orthene, etc.)	1 tsp	Apply in early spring when nymphs of first generation are present.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions.
	imidacloprid (Bayer Advanced)		Per label directions.
	malathion (various)		Per label directions.
<b>Mealybug</b>	acephate		Follow label directions.
	acetamiprid		Follow label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
	bifenthrin	ready to use	Follow label directions.
	cyfluthrin		Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions.
	horticultural oil	1%-2%	Coverage is important. Spray must contact pests.
	imidacloprid (Bayer Advanced)		Follow label directions.
insecticidal soap	1%-2%	Thorough coverage is necessary. Spray must contact pests to be effective. Repeat spray three times at 5- to 7-day intervals.	
	malathion (various)		Follow label directions.
	pyrethroids (various)	ready to use and concentrate	Follow label directions.
<b>Plant Bugs Leafhopper</b>	acephate		Follow label directions.
	acetamiprid		Follow label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.

**ORNAMENTAL INSECT CONTROL FOR HOMEOWNERS  
OUTDOOR ORNAMENTAL INSECT CONTROL**

<b>Pest</b>	<b>Insecticide and Formulation*</b>	<b>Amount Formulation Per Gallon Spray</b>	<b>Remarks and Precautions</b>
<b>Plant Bugs Leafhopper</b> (cont.)	carbaryl		Apply to foliage as needed.
	cyfluthrin		Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%)		Follow label directions. Leafhoppers ONLY.
	imidacloprid (Bayer Advanced)		Per label directions.
	insecticidal soap	1%-2%	Thorough coverage is necessary. Spray must contact pests to be effective. Repeat spray three times at 5- to 7-day intervals.
	malathion (various)		Follow label directions.
	pyrethroids (various)	ready to use and concentrate	Follow label directions.
<b>Rose Midges</b>	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
<b>Rose Slugs</b>	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions.
<b>Scale Insects</b>	acephate		Follow label directions.
	acetamiprid		Follow label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions. Effective against crawler stages.
	bifenthrin		Follow label directions.
	carbaryl		Follow label directions.
	cyfluthrin		Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions.
	horticultural oils	1%-2%	Follow label directions.
	imidacloprid (Bayer Advanced)		Follow label directions.
	insecticidal soap	1%-2%	
	malathion (various)		Follow label directions.
	pyrethroids (various)	ready to use and concentrate	Follow label directions.
<b>Slug and Snail</b>	iron phosphate (Slug-Go)		Follow label directions.
	methaldehyde		Attention should be given to moist areas or water leaks. DO NOT use in home gardens.
	Mesurool 2B	1 lb/100 sq ft	Follow label directions.

**ORNAMENTAL INSECT CONTROL FOR HOMEOWNERS  
OUTDOOR ORNAMENTAL INSECT CONTROL**

<b>Pest</b>	<b>Insecticide and Formulation*</b>	<b>Amount Formulation Per Gallon Spray</b>	<b>Remarks and Precautions</b>
<b>Sowbug and Pillbug</b>	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions. Effective against crawler stages.
	carbaryl	follow label directions	Clean up breeding and hiding places; i.e., treat any mulched area of ornamental shrubbery.
	malathion (various)		Follow label directions.
<b>Spider Mite</b>	bifenthrin 0.012%	ready to use	Follow label directions.
	horticultural oil	1%-2%	
	insecticidal soap	1%-2%	Coverage is important. Spray must contact pests to be effective.
	malathion (various)		Follow label directions.
<b>Stalk Borer</b>	carbaryl	follow label directions	Treat as often as needed beginning when first damage is noted. DO NOT allow ragweed to grow near flower beds.
<b>Thrips</b>	acephate		Follow label directions.
	acetamiprid		Follow label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions. Effective against crawler stages.
	carbaryl		Follow label directions.
	cyfluthrin		Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions.
	imidacloprid (Bayer Advanced)		Follow label directions.
	insecticidal soap	1%-2%	Thorough coverage is necessary. Spray must contact pests to be effective. Repeat spray three times at 5- to 7-day intervals.
	malathion (various)		Follow label directions.
pyrethroids (various)	ready to use and concentrate	Follow label directions.	
<b>Whitefly</b>	acephate		Follow label directions.
	acetamiprid		Follow label directions.
	beta-cyfluthrin 0.0015% + imidacloprid 0.012% (Bayer Advanced Dual Action Rose & Flower Insect Killer Ready-To-Use)	ready to use	Follow label directions. Effective against crawler stages.
	bifenthrin	ready to use	Follow label directions.
	cyfluthrin		Follow label directions.
	dinotefuran (Ortho Tree & Shrub Insect Control Plus Miracle-Gro Plant Food Concentrate 0.43%, Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions.

**ORNAMENTAL INSECT CONTROL FOR HOMEOWNERS  
OUTDOOR ORNAMENTAL INSECT CONTROL**

<b>Pest</b>	<b>Insecticide and Formulation*</b>	<b>Amount Formulation Per Gallon Spray</b>	<b>Remarks and Precautions</b>
<b>Whitefly</b> (cont.)	horticultural oils	1%-2%	Follow label directions.
	imidacloprid (Bayer Advanced)		
	insecticidal soap	1%-2%	Follow label directions.
	malathion (various)		
	pyrethrins/pyrethrum		
	pyrethroids (various)	ready to use and concentrate	
<b>White grubs</b>	dinotefuran (Ortho Tree & Shrub Insect Control Granules 2.0%)		Per label directions
	imidacloprid (Bayer Advanced Season Long Grub Control)		Per label directions

\*Numerous products containing insecticide are available to homeowners. Products containing the same insecticide may vary in the concentration of the active ingredient. Always consult the product label for information on rate of application. Insecticides that may be available to homeowners are listed in the **HOMEOWNER INSECTICIDE PRODUCT LIST** section beginning on page 324.

**ORNAMENTAL INSECT CONTROL FOR HOMEOWNERS  
INDOOR ORNAMENTAL INSECT CONTROL**

**Note:** Many formulations of insecticides for use in the home are combinations of active ingredients. The following list of insecticides is given as a guide to determine which pests an active ingredient is effective in controlling. Many pyrethroids and other compounds are now off label, and there may be several brand names for different chemicals. Only the active ingredient of insecticides is listed. Other compounds, especially oils, contain a mixture of oils, and these are listed under the general category of oils. The trade names below are only examples of several different formulations available and are not given as recommendations. Check the label on the insecticide container to determine what plants can be treated and the active ingredients present in the product. When possible, place plants outdoors or in an area not likely to come in contact with people, pets or food while making insecticide application. If plants cannot be moved outside for treatment, follow label precautions for indoor treatment.

<b>Insecticide and Formulation*</b>	<b>Rate</b>	<b>Comments</b>
bifenthrin	Ortho Houseplant and Garden Insect Killer, other Ortho products	as directed mealybugs, mites, whiteflies, aphids
cyfluthrin	Bayer Advanced Home Pest Control	as directed gnats, centipedes, earwigs, scorpions Follow label directions.
horticultural oil	SunSpray Ultrafine, Saf-T-Side, Superior Oil, Golden Natural Spray Oil, Volck Oil; found in Green Light products and others	1%-2% scale, whiteflies, mites Coverage is important; spray must contact pests to be effective.
imidacloprid + fertilizer	Bayer Advanced Garden 2-in-1 Plant Spikes	as directed aphids, mealybugs, whiteflies
insecticidal soap	M-Pede and Safer Soap	1%-2% aphids, mealybugs, scale, thrips, mites, whiteflies Coverage is important; spray must contact pests to be effective.
pyrethrins, pyrethrum	Pyrethrum (aerosol); found in several Safer products, Garden Safe	as directed aphids, mealybugs, thrips, whiteflies

\*Numerous products containing insecticide are available to homeowners. Products containing the same insecticide may vary in the concentration of the active ingredient. Always consult the product label for information on rate of application. Insecticides that may be available to homeowners are listed in the **HOMEOWNER INSECTICIDE PRODUCT LIST** section beginning on page 324.