

Crop Replant and Rotation Guide for Wheat Herbicides

| Herbicide | Replant/Crop Rotation | Time Interval | Precautions |
|---------------|---|---|--|
| 2,4-D | All | 90 days | 90 days or until dissipated. |
| Anthem Flex | C, CT, S, W P, SF R, SG All | I 4 months 10-11 months 18 months | |
| Axial | W All others | I 4 months | |
| Axiom | S† AL, C, FG, W, B CT, R All (except root crops)†† Root crops | I 4 months 8 months 12 months 18 months | † Waiting period for replanting soybeans depends on the rate of metribuzin used. See specific label for more information. Add 2 months to time intervals if pH of soil is above 7.5. †† Cover crops may be planted anytime, but stand reductions may occur. |
| Beyond | S A, W C, GS, CT, SF All others | I 3 months 9 months 18 months | For CL wheat only. |
| Express | W, O CA All | I 60 days 45 days | |
| Finesse | Follow only with STS or BOLT soybeans the next year. | | |
| Harmony Extra | W, O CA All | I 60 days 45 days | |
| Hoelon | W, B All | I FY | |
| Metribuzin | S† AL, C, FG, W, B CT, R All (except root crops)†† Root crops | I 4 months 8 months 12 months 18 months | † Waiting period for replanting soybeans depends on the rate of metribuzin used. See specific label for more information. Add 2 months to time intervals if pH of soil is above 7.5. †† Cover crops may be planted anytime, but stand reductions may occur. |

| Herbicide | Replant/Crop Rotation | Time Interval | Precautions |
|------------------------|--|--|--|
| Osprey | W B, SF S, CT, R, P C All others | 7 days 30 days 90 days 12 months 10 months | Under cold temperature or drought, degradation may be slower. |
| Peak | W C, GS R, S, CT All others | I 1 month 10 months 18 months | Apply to soils below pH 7.8 if rice, soybeans or cotton in rotation. |
| PowerFlex HL | S, CT W C, O, GS, CA, SF, P R | 90 days 1 month 9 months 12 months | |
| Prowl H ₂ O | CT, S W, B All | I 4 months FY | Do not rework soil deeper than treated zone. |
| Quelex | W, B C, SG, CT, S, SF, R Peanut | I 3 months 9 months | |
| Zidua | C, CT, S P, SF R W | I 4 months 12 months 30 days | |

| Key | | |
|--------------------------------------|---------------------|-------------------|
| Crop | | |
| All = All crops not specified | FG = Forage Grasses | S = Soybeans |
| B = Barley | GS = Grain Sorghum | SF = Sunflower |
| C = Corn | O = Oat | SG = Small Grains |
| CA = Canola | P = Peanuts | W = Wheat |
| CT = Cotton | R = Rice | |
| Timing | | |
| I = Immediately | | |
| FY = Following year (usually spring) | | |